3 1761 06706012 9

Bot
Flora
B

British Museum (Natural History)
Dept. of Botany.

List of British seed-plants and ferns exhibited in the Department of Botany, British Museum.

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

http://www.archive.org/details/listofbritishsee00brituoft

# LIST OF
# BRITISH SEED-PLANTS AND FERNS.

LIBRARY
AUG 6 1907
UNIVERSITY OF TORONTO

DEPARTMENT OF BOTANY,
BRITISH MUSEUM (NATURAL HISTORY),
CROMWELL ROAD, LONDON, S.W.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES
OF THE BRITISH MUSEUM.

1907

[PRICE FOURPENCE.]

BRITISH MUSEUM
NATURAL HISTORY

PRESENTED

BY

The Trustees

OF

THE BRITISH MUSEUM.

Bot
Flora
B

British Museum (Nat. Hist.). Dept. of Botany

# LIST OF

# BRITISH SEED-PLANTS AND FERNS.

EXHIBITED IN THE

DEPARTMENT OF BOTANY,

BRITISH MUSEUM (NATURAL HISTORY).

[by A.B. Rendle and J. Britten]

LONDON:

PRINTED BY ORDER OF THE TRUSTEES
OF THE BRITISH MUSEUM.

1907

(*All rights reserved.*)

1236

LONDON:
PRINTED BY WILLIAM CLOWES AND SONS, LIMITED,
DUKE STREET, STAMFORD STREET, S.E., AND GREAT WINDMILL STREET, W.

# PREFACE

THE following List of British Seed-plants and Ferns has been compiled by Mr. Britten and myself in accordance with the International Rules of Botanical Nomenclature adopted by the Botanical Congress at Vienna, 1905. These Rules insist on the adoption of the earliest specific name of a plant, no matter under what genus it was first described. This has resulted in a few alterations, as British botanists have generally used the specific name first employed in the genus accepted. These alterations have been made only after careful investigation of the literature of the subject. *Comb. nov.* is affixed to new combinations. A detailed account of the alterations will be found in the *Journal of Botany* for March, 1907.

Throughout the List reference is made to the original description of each species. This has necessitated an extensive consultation of botanical literature, which would only be possible in a library such as that possessed by the Department of Botany; a few alterations in spelling (*e.g.*, *Teesdalea*) and some corrected citations have resulted from this investigation.

Names of plants date from the first edition of Linnaeus's *Species Plantarum* (1753). Adherence to priority is observed, except for certain genera specially provided for by the Rules.

The arrangement of Orders is that of Bentham's *Handbook*, which is followed in the Public Gallery; for the limitation of genera and species we have followed Messrs. Groves's edition of Babington's *Manual*, as being the most recent descriptive British Flora; we have not included varieties. We have adopted the nomenclature of the latter work except where this is not in accordance with the Rules. The genera are numbered consecutively throughout.

For the convenience of botanists we have correlated the names adopted in the three principal handbooks of the British Flora. These are indicated by numbers as follows:—

I. Bentham's *Handbook*, ed. 6, 1892;
II. Hooker's *Student's Flora*, ed. 3, 1884;
III. Babington's *Manual*, ed. 9, 1904, in cases where the name is not that adopted in the List.

The List has been shortened by the exclusion of (1) Channel Island plants, which have no claim to be considered as belonging to the British Flora; (2) critical forms of *Rubus*, *Hieracium*, *Euphrasia*, and *Salix*, for which reference must be made to monographs; (3) introduced plants which have not become thoroughly established; (4) plants formerly found in Britain but now extinct.

The names of plants which, although introduced, appear to be naturalized, are printed in italics.

At the end of the List will be found an arrangement of the Natural Orders in conformity with recent views of affinity; this is correlated with the sequence adopted in the List.

A. B. RENDLE.

BRITISH MUSEUM (NATURAL HISTORY).
*January*, 1907.

## CORRIGENDA

21 **Glaucium.** *For* "Mill." *read* Hill.

50 **Coronopus.** *For* "L." *read* Gaertn.

91 *For* "**MILLEGRANA**" etc., *read* **RADIOLA** Hill.
**linoides** Roth Tent. Fl. Germ. i. 71 (1788).
I *Millegrana* Sm.

101 **Medicago minima.** *For* "L." &c., *read* Willd. Sp. Pl. iii. 1418 (1800).

223 **Cotula.** *Add* L.

240 **Thrincia.** *Add* Roth.

235 **Picris.** *Add* L.

262 **Primula.** *For* "**acaulis** L." &c., *read* **vulgaris** Hudson Fl. Angl. 70 (1762).
I under *veris*.
III *acaulis* L.

267 **Anagallis tenella.** *For* "L." &c., *read* Lightfoot Fl. Scot. 139 (1777).

276 **Centaurion.** *For* "Gilib." *read* Adans; for "**minus**" &c., *read* **umbellatum** Gilibert Fl. Lituan. i. 35 (1781).

279 **Nymphoides.** *For* "Medic." *read* Hill.

405 **Ophrys.** *For* "**arachnites**" &c., *read* **fuciflora** H. G. Reichenb. Ic. Fl. Germ. xiii. 85, t. 109 (1851).
I II under *apifera*,
III *arachnites* Lam.;
*for* "**aranifera**" &c., *read* **sphegodes** Miller Dict. ed. 8, n. 8 (1768).
I II III *aranifera* Huds.

414 **Corallorrhiza.** *For* "Hall." *read* Scop.

491 **Poa palustris** should be in italics.

By an unfortunate inadvertence Nos. 235–242 have been repeated; they should be distinguished by asterisks.

# LIST OF BRITISH SEED-PLANTS AND FERNS

## I. RANUNCULACEÆ

1 **CLEMATIS** L.

**Vitalba** L. Sp. Pl. 544 (1753).

2 **THALICTRUM** L.

**alpinum** L. Sp. Pl. 545 (1753).

**minus** L. Sp. Pl. 546 (1753).

**majus** Crantz Stirp. Austr. fasc. ii. 80 (1763).

I II under *minus*.

**flavum** L. Sp. Pl. 546 (1753).

3 **ANEMONE** L.

**Pulsatilla** L. Sp. Pl. 539 (1753).

**nemorosa** L. Sp. Pl. 541 (1753).

4 **ADONIS** L.

**annua** L. Sp. Pl. 547 (1753); Mill. Dict. ed. 8 n. 1 (1768).

I II III *autumnalis* L.

5 **MYOSURUS** L.

**minimus** L. Sp. Pl. 284 (1753).

6 **RANUNCULUS** L.

I Nos. 1–8, 10–12, under *aquatilis* L.

1 **trichophyllus** Chaix in Villars Hist. Pl. Dauph. i. 335 (1786).

2 **Drouetii** F. Schultz in Archiv. Fl. France & Allem. i. 10, 31 (1842).

3 **heterophyllus** Weber in Wiggers Prim. Fl. Holsat. 42 (1780).

4 **confusus** Godron in Grenier & Godron Fl. France i. 22 (1847).

II under *marinus* Fr.

5 **Baudotii** Godron in Mém. Soc. Roy. Nancy, 1839, 21 (1840).

II under *marinus* Fr.

6 **floribundus** Babington in Ann. Mag. Nat. Hist. xvi. 397 (1855).

II under *heterophyllus*.

7 **penicillatus** Babington Manual, ed. 7, 7 (1874).

II under *heterophyllus*.

8 **peltatus** Schrank Baiersche Fl. ii. 103 (1789).

II under *heterophyllus*.

9 **tripartitus** DC. Ic. Pl. Gall. 15 (1808).

I under *hederaceus*.

10 **lutarius** Bouvet in Bull. Soc. Scient. Angers, 1873, 96 (1874).

11 **divaricatus** Schrank Baiersche Flora, ii. 104 (1789).

II III *circinatus* Sibth.

12 **fluitans** Lamarck Fl. France, iii. 184 (1778).

13 **Lenormandi** F. Schultz in Flora, xx. 726 (1837).

I under *hederaceus*.

14 **hederaceus** L. Sp. Pl. 556 (1753).

15 **sceleratus** L. Sp. Pl. 551 (1753).

16 **scoticus** Marshall in Journ. Bot. xxxvi. 103 (1898).

17 **Flammula** L. Sp. Pl. 548 (1753).

18 **reptans** L. Sp. Pl. 549 (1753).

I II under *Flammula*.

19 **ophioglossifolius** Villars Hist. Pl. Dauph. ii. 731 (1789).

20 **Lingua** L. Sp. Pl. 549 (1753).

21 **Ficaria** L. Sp. Pl. 550 (1753).

22 **auricomus** L. Sp. Pl. 551 (1753).

23 **acris** L. Sp. Pl. 554 (1753).

24 **repens** L. Sp. Pl. 554 (1753).

25 **bulbosus** L. Sp. Pl. 554 (1753).

26 **sardous** Crantz Stirp. Austr. fasc. ii. 84 (1763).

I II *hirsutus* Curtis.

27 **parviflorus** L. Syst. Nat. ed. 10, ii. 1087 (1759).

28 **arvensis** L. Sp. Pl. 555 (1753).

7 **CALTHA** L.
**palustris** L. Sp. Pl. 558 (1753).
**radicans** T. F. Forster in Trans. Linn. Soc. viii. 324 (1807).

8 **TROLLIUS** L.
**europaeus** L. Sp. Pl. 556 (1753).

9 *ERANTHIS* Salisb.
*hyemalis* Salisbury in Trans. Linn. Soc. viii. 304 (1807).
III *Cammarum hyemale* Greene.

10 **HELLEBORUS** L.
**viridis** L. Sp. Pl. 558 (1753).
**foetidus** L. Sp. Pl. 558 (1753).

11 **AQUILEGIA** L.
**vulgaris** L. Sp. Pl. 533 (1753).

12 *DELPHINIUM* L.
*Ajacis* L. Sp. Pl. 531 (1753).

13 **ACONITUM** L.
**Napellus** L. Sp. Pl. 532 (1753).

14 **ACTAEA** L.
**spicata** L. Sp. Pl. 504 (1753).

15 **PAEONIA** L.
**corallina** Retzius Obs. iii. 34 (1783).
I *officinalis* L.

## II. BERBERIDACEÆ

16 **BERBERIS** L.
**vulgaris** L. Sp. Pl. 530 (1753).

## III. NYMPHÆACEÆ

17 **CASTALIA** Salisb.
**alba** Greene in Bull. Torr. Bot. Club, xv. 85 (1888).
I II *Nymphaea alba* L.

18 **NYMPHAEA** L.
**lutea** L. Sp. Pl. 510 (1753).
I II *Nuphar luteum* Sm.
**pumila** G. F. Hoffmann Deutschl. Flora, ed. 2, i. 1, 241 (1800).
I under *Nuphar luteum*,
II *Nuphar pumilum* Sm.

## IV. PAPAVERACEÆ

19 **PAPAVER** L.
**Argemone** L. Sp. Pl. 506 (1753).
**hybridum** L. Sp. Pl. 506 (1753).
**Rhoeas** L. Sp. Pl. 507 (1753).
**dubium** L. Sp. Pl. 1196 (1753).
**Lecoqii** Lamotte in Ann. Sci. Lit. Auvergne, xxiv. 429 (1851).
I II under *dubium*.
*somniferum* L. Sp. Pl. 508 (1753).

20 **MECONOPSIS** Vig.
**cambrica** Viguier Hist. Pavots, 48 (1814).

21 **GLAUCIUM** Mill.
**flavum** Crantz Stirp. Austr. fasc. ii. 133 (1763).
I II *luteum* Scop.

22 **CHELIDONIUM** L.
**majus** L. Sp. Pl. 505 (1753).

## V. FUMARIACEÆ

23 **CORYDALIS** DC.
*lutea* DC. Fl. France, iv. 638 (1805).
III *Capnoides lutea* Gaertn.
**claviculata** DC. Fl. France, iv. 638 (1805).
III *Capnoides claviculata* Druce.

24 **FUMARIA** L.
I all the species under *officinalis*.
**capreolata** L. Sp. Pl. 701 (1753).
**purpurea** Pugsley in Journ. Bot. xl. 179 (1902).
**occidentalis** Pugsley in Journ. Bot. xlii. 218 (1904).
**Bastardi** Boreau in Duchartre Rev. Bot. ii. 359 (1846–7).
II under *capreolata*,
III *confusa* Jord.
**muralis** Sonder ex Koch Syn. Fl. Germ. ed. 2, 1017 (1845).
II under *capreolata*.
**officinalis** L. Sp. Pl. 700 (1753).
**densiflora** DC. Cat. Hort. Monsp. 113 (1813).
**parviflora** Lamarck Encyclop. ii. 567 (1788).
**Vaillantii** Loiseleur in Desvaux Journ. de Bot. ii. 370 (1809).
II under *parviflora*.

## VI. CRUCIFERÆ

25 **MATTHIOLA** Br.
**incana** [Brown in] Aiton Hort. Kew. ed. 2, iv. 119 (1812).
**sinuata** [Brown in] Aiton, l.c.

26 *CHEIRANTHUS* L.
*Cheiri* L. Sp. Pl. 661 (1753).

27 **RADICULA** Hill.
**Nasturtium-aquaticum** *comb. nov.*
I II *Nasturtium officinale* Br.
III *R. officinale*, Groves.
**sylvestris** Druce in Ann. Scott. Nat. Hist. 1906, 219.
I II *N. sylvestre* Br.
III *R. pinnata* Moench.
**palustris** Moench Meth. 263 (1784).
I II *N. palustre* DC.

28 **BARBAREA** Br.
**lyrata** Ascherson Fl. Brandenb. i. 35 (1864).
I II III *vulgaris* Br.
**stricta** Andrzejowski in Besser Enum. Pl. Volhyn. 72 (1822).
I II under *vulgaris*.
**intermedia** Boreau Fl. Centre, ii. 48 (1840).
I II under *vulgaris*.
**verna** Ascherson Fl. Brandenb. i. 36 (1864).
I under *vulgaris*.
II III *praecox* Br.

29 **ARABIS** L.
**hirsuta** Scopoli Fl. Carn. ed. 2, ii. 30 (1772).
**ciliata** [Brown in] Aiton Hort. Kew. ed. 2, iv. 107 (1812).
II under *hirsuta*.
**stricta** Hudson Fl. Anglica, ed. 2, 292 (1778).
**alpina** L. Sp. Pl. 664 (1753).
II not included.
**petraea** Lamarck Encyclop. i. 221 (1783).
**glabra** Bernhardi Syst. Verz. Erfurt. 195 (1800).
I II III *perfoliata* Lam.

30 **CARDAMINE** L.
**impatiens** L. Sp. Pl. 655 (1753).
**flexuosa** Withering Arr. Brit. Pl. ed. 3, iii. 578 (1796).
I II under *hirsuta*.
**hirsuta** L. Sp. Pl. 655 (1753).
**pratensis** L. Sp. Pl. 656 (1753).
**amara** L. Sp. Pl. 656 (1753).

31 **DENTARIA** L.
**bulbifera** L. Sp. Pl. 653 (1753).
I *Cardamine bulbifera* Br.

32 *HESPERIS* L.
*matronalis* L. Sp. Pl. 663 (1753).

33 **SISYMBRIUM** L.
**officinale** Scopoli Fl. Carn. ed. 2, ii. 26 (1772).
*polyceratium* L. Sp. Pl. 658 (1753).
*Irio* L. Sp. Pl. 659 (1753).
**Sophia** L. Sp. Pl. 659 (1753).
**Thalianum** J. Gay in Ann. Sci. Nat. vii. 399 (1826).
I *Arabis Thaliana* L.

34 **ALLIARIA** Adans.
**alliacea** *comb. nov.*
I III *officinalis* Andrz.
II *Sisymbrium Alliaria* Scop.

35 **ERYSIMUM** L.
**cheiranthoides** L. Sp. Pl. 661 (1753).

36 **BRASSICA** L.
**oleracea** L. Sp. Pl. 667 (1753).
**campestris** L. Sp. Pl. 666 (1753).
**monensis** Hudson Fl. Anglica, ed. 2, 391 (1778).

37 **SINAPIS** L.
**nigra** L. Sp. Pl. 668 (1753).
I II *Brassica nigra* Koch.
**arvensis** L. Sp. Pl. 668 (1753).
I II *B. Sinapis* Vis.
**alba** L. Sp. Pl. 668 (1753).
I II *B. alba* Boiss.

38 **DIPLOTAXIS** DC.
**tenuifolia** DC. Syst. ii. 632 (1821).
I *Brassica tenuifolia* Boiss.
**muralis** DC. Syst. ii. 634 (1821).
I *B. muralis* Boiss.

39 *ALYSSUM* L.
*alyssoides* L. Syst. ed. 10, 1130 (1759).
I II *calycinum* L.

40 **DRABA** L.
**aizoides** L. Mant. 91 (1767).
**rupestris** [Brown in] Ait. Hort. Kew. ed. 2, iv. 91 (1812).
I *Aizoa* L.
**incana** L. Sp. Pl. 643 (1753).

40 **DRABA** *continued.*
**muralis** L. Sp. Pl. 642 (1753).
**verna** L. Sp. Pl. 642 (1753).
II *Erophila vulgaris* DC.

41 **COCHLEARIA** L.
**officinalis** L. Sp. Pl. 647 (1753).
**alpina** Watson Cybele Britannica, i. 127 (1847).
I II under *officinalis.*
**groenlandica** L. Sp. Pl. 647 (1753).
I II under *officinalis.*
**danica** L. Sp. Pl. 647 (1753).
I II under *officinalis,*
**anglica** L. Syst. ed. 10, 1128 (1759).
I under *officinalis.*

42 **ARMORACIA** G. M. & S.
*rusticana* Gaertner, Meyer and Scherbius Fl. Wetterau, ii. 426 (1800).
I II *Cochlearia Armoracia* L.
**amphibia** Petermann Fl. Lips. Excurs. 477 (1838).
I II *Nasturtium amphibium* Br.

43 **THLASPI** L.
**arvense** L. Sp. Pl. 646 (1753).
**perfoliatum** L. Sp. Pl. 646 (1753).
**alpestre** L. Sp. Pl. ed. 2, 903 (1763).
**virens** Jordan Obs. Pl. Nouv. iii. 17 (1846).
I II under *alpestre.*

44 **HUTCHINSIA** Br.
**petraea** [Brown in] Ait. Hort. Kew. ed. 2, iv. 82 (1812).

45 **TEESDALEA** Br.
**nudicaulis** [Brown in] Ait. Hort. Kew. ed. 2, iv. 83 (1812).

46 **IBERIS** L.
**amara** L. Sp. Pl. 649 (1753).

47 **LEPIDIUM** L.
*Draba* L. Sp. Pl. 645 (1753).
**campestre** [Brown in] Ait. Hort. Kew. ed. 2, iv. 88 (1812).
**heterophyllum** Bentham Cat. Pl. Pyren. 95 (1826).
I *Smithii* Hook.
II under *campestre.*
**ruderale** L. Sp. Pl. 645 (1753).
**latifolium** L. Sp. Pl. 644 (1753).

48 **CAPSELLA** Vent.
**Bursa-pastoris** Medicus Pflanzengattung. 85 (1792).
III *Bursa pastoris* Weber.

49 **SUBULARIA** L.
**aquatica** L. Sp. Pl. 642 (1753).

50 **CORONOPUS** L.
**procumbens** Gilibert Fl. Lith. v. 52 (1782).
I II III *Senebiera Coronopus* Poir.
**didymus** Smith Fl. Brit. ii. 691 (1800).
I II *Senebiera didyma* Pers.
III *S. pinnatifida* DC.

51 **ISATIS** L.
**tinctoria** L. Sp. Pl. 670 (1753).

52 **CAKILE** Mill.
**maritima** Scopoli Fl. Carn. ed. 2, ii. 35 (1772).

53 **CRAMBE** L.
**maritima** L. Sp. Pl. 671 (1753).

54 **RAPHANUS** L.
**Raphanistrum** L. Sp. Pl. 669 (1753).
**maritimus** Smith Eng. Bot. t. 1643 (1806).
I under *Raphanistrum.*

## VII. RESEDACEÆ

55 **RESEDA** L.
**lutea** L. Sp. Pl. 449 (1753).
**Luteola** L. Sp. Pl. 448 (1753).

## VIII. CISTACEÆ

56 **HELIANTHEMUM** Mill.
**guttatum** Miller Gard. Dict. ed. 8, n. 18 (1768).
**marifolium** Miller Gard. Dict. ed. 8, n. 24 (1768).
I II *canum* Dunal.
**Chamæcistus** Miller Gard. Dict. ed. 8, n. 1 (1768).
I II *vulgare* Gaertn.
**polifolium** Miller Gard. Dict. ed. 8, n. 11 (1768).

## IX. VIOLACEÆ

**57 VIOLA** L.

1 **palustris** L. Sp. Pl. 934 (1753).
2 **odorata** L. Sp. Pl. 934 (1753).
3 **hirta** L. Sp. Pl. 934 (1753).
4 **calcarea** Gregory in Journ. Bot. xlii. 67 (1904).
I II III under *hirta*.
5 **sylvestris** Lamarck Fl. France, ii. 680 (1778).
I under *canina*,
II *cyrenaica* Fries.
6 **Riviniana** H. G. L. Reichenbach Pl. Crit. i. 81 (1823).
I under *canina*,
II under *sylvestris*.
7 **rupestris** F. W. Schmidt in Neuere Abhandl. Böhmisch. Ges. i. 60 (1791).
I II *arenaria* DC.
8 **canina** L. Sp. Pl. 935 (1753).
9 **stagnina** Kitaibel in J. A. Schultes Oesterr. Fl. ed. 2, i. 426 (1814).
I II under *canina*.
10 **lutea** Hudson Fl. Anglica, 331 (1762).
I II under *tricolor*.
11 **tricolor** L. Sp. Pl. 935 (1753).

## X. POLYGALACEÆ

**58 POLYGALA** L.

**vulgaris** L. Sp. Pl. 702 (1753).
I includes all here.
**serpyllacea** Weihe in Flora, ix. 745 (1826).
II under *vulgaris*.
**calcarea** F. Schultz in Flora, xx. 752 (1837).
**amara** L. Syst. ed. 10, 1154 (1759).

## XI. FRANKENIACEÆ

**59 FRANKENIA** L.

**laevis** L. Sp. Pl. 331 (1753).

## XII. CARYOPHYLLACEÆ

**60 DIANTHUS** L.

**prolifer** L. Sp. Pl. 410 (1753).
**Armeria** L. Sp. Pl. 410 (1753).
**gratianopolitanus** Villars Pl. Dauph. iii. 598 (1789).
I II *caesius* Sm.
**deltoides** L. Sp. Pl. 411 (1753).

**61 *SAPONARIA*** L.

***officinalis*** L. Sp. Pl. 408 (1753).

**62 SILENE** L.

**anglica** L. Sp. Pl. 416 (1753).
I II under *gallica* L.
**nutans** L. Sp. Pl. 417 (1753).
**dubia** Herbich Fl. Bucovin. 338 (1859).
**Otites** Wibel Prim. Fl. Werthem. 241 (1799).
**latifolia** *comb. nov.*
I II III *Cucubalus* Wibel.
**maritima** Withering Arr. Brit. Pl. ed. 3, ii. 414 (1800).
I under *Cucubalus*.
**conica** L. Sp. Pl. 418 (1753).
**noctiflora** L. Sp. Pl. 419 (1753).
**acaulis** L. Sp. Pl. ed. 2, 603 (1762).

**63 LYCHNIS** L.

**Viscaria** L. Sp. Pl. 436 (1753).
**alpina** L. Sp. Pl. 436 (1753).
**Flos-cuculi** L. Sp. Pl. 436 (1753).
**alba** Miller Dict. ed. 8, n. 4 (1768).
I II *vespertina* Sibth.
**dioica** L. Sp. Pl. 437 (1753).
I II *diurna* Sibth.
**Githago** Scopoli Fl. Carn. ed. 2, i. 310 (1772).
II *Githago segetum* Desf.

**64 SAGINA** L.

**procumbens** L. Sp. Pl. 128 (1753).
**apetala** Arduino Animadv. Bot. n. 22 (1763).
I under *procumbens*.
**ciliata** Fries in Liljeblad Svensk Flora, ed. 3, 713 (1816).
I under *procumbens*,
II under *apetala*.
**maritima** G. Don Herb. Brit. fasc. vii. n. 155 (1806).
I under *procumbens*,
II under *apetala*.
**Boydii** White in Trans. Bot. Soc. Edinb. xvii. 33 (1887).
**saginoides** Dalla Torre Anleit. Alpenpfl. 75 (1882).
I II III *Linnaei* Presl.

64 **SAGINA**—*continued.*

**nivalis** Fries Nov. Mant. iii. 31 (1842).
I II under *Linnaei.*

**subulata** Presl Fl. Sic. 158 (1826).
I under *Linnaei.*

**nodosa** Fenzl Alsin. tab. after p. 18 (1833).

65 **HONKENYA** Ehrh.

**peploides** Ehrhart Beitrage, ii. 181 (1788).
I II *Arenaria peploides* L.

66 **MINUARTIA** L.

**stricta** Hiern in Journ. Bot. xxxvii. 320 (1899).
I II *Arenaria uliginosa* Schleich.

**verna** Hiern l. c.
I II *A. verna* L.

**rubella** Hiern l. c.
I under *A. verna,*
II *A. hirta* Wormsk.

**tenuifolia** Hiern, l.c. 321.
I II *A. tenuifolia* L.
III *leptophylla* Groves.

67 **CHERLERIA** L.

**sedoides** L. Sp. Pl. 425 (1753).
I II *Arenaria Cherleri* Benth.

68 **ARENARIA** L.

**trinervia** L. Sp. Pl. 423 (1753).

**serpyllifolia** L. Sp. Pl. 423 (1753).

**leptoclados** Gussone Fl. Sicil. Syn. ii. 824 (1845).
I II under *serpyllifolia.*

**ciliata** L. Sp. Pl. 425 (1753).

**gothica** Fries Nov. Mant. ii. 33 (1839).
I under *ciliata.*

**norvegica** Gunnerus Fl. Norveg. ii. 144 (1772).
I II under *ciliata.*

69 **HOLOSTEUM** L.

**umbellatum** L. Sp. Pl. 88 (1753).

70 **STELLARIA** L.

**nemorum** L. Sp. Pl. 421 (1753).

**media** Villars Hist. Pl. Dauphiné, iii. 615 (1789).

**neglecta** Weihe in Bluff & Fingerhuth Comp. Fl. Germ. i. 560 (1825).
I II under *media,*
III *umbrosa* Opiz.

**Holostea** L. Sp. Pl. 422 (1753).

**palustris** Retzius Fl. Scand. Prodr. ed. 2, 106 (1795).

**graminea** L. Sp. Pl. 422 (1753).

**uliginosa** Murray Prod. Stirp. Gotting. 55 (1770).

71 **MYOSOTON** Moench.

**aquaticum** Moench Method. 225 (1794).
I II *Stellaria aquatica* Scop.
III *Malachium aquaticum* Fries.

72 **CERASTIUM** L.

**viscosum** L. Sp. Pl. 437 (1753).
I includes 1–5 under *vulgatum,*
II *glomeratum* Thuillier.

**vulgatum** L. Fl. Suec. ed. 2, 158 (1755).
II III *triviale* Link.

**semidecandrum** L. Sp. Pl. 438 (1753).

**pumilum** Curtis Fl. Londin. fasc. vi. 30 (1795–6).
II under *tetrandrum.*

**tetrandrum** Curtis Fl. Londin. fasc. vi. 31 (1795–6).

**arvense** L. Sp. Pl. 438 (1753).

**arcticum** Joh. Lange Fl. Danica, fasc. l. 7 (1880).
I II *alpinum.*

**alpinum** L. Sp. Pl. 438 (1753).

**cerastoides** Britton in Mem. Torr. Bot. Club, v. 150 (1894).
I II *trigynum* Vill.
III *lapponicum* Crantz.

73 **MOENCHIA** Ehrh.

**erecta** Gaertner, Meyer & Scherbius Fl. Wett. i. 219 (1799).
II *Cerastium quaternellum* Fenzl.
III *quaternella* Ehrh.

74 **POLYCARPON** Loefl.

**tetraphyllum** L. Syst. 10, 881 (1759).

75 **ALSINE** L.

**rubra** Crantz Instit. ii., 407 (1766).
I II *Spergularia rubra* Pers.
I includes all.

**rupicola** Hiern in Journ. Bot. xxxvii. 318 (1899).
II *S. rupestris* Lebel.

**media** Crantz Instit. ii. 407 (1766); Hiern in Journ. Bot., l.c.
II *S. salina* Presl.
III *salina* Groves.

75 **ALSINE**—*continued.*

**marginata** L. H. G. Reichenbach Fl. Germ. Excurs. 566 (1832).

II *S. media* Pers.

III *maxima*.

76 **SPERGULA** L.

**arvensis** L. Sp. Pl. 440 (1753).

**sativa** Boenninghausen Prod. Fl. Monast. 135 (1824).

I II under *arvensis*.

77 **SCLERANTHUS** L.

**annuus** L. Sp. Pl. 406 (1753).

**perennis** L. Sp. Pl. 406 (1753).

## XIII. PORTULACACEÆ

78 **MONTIA** L.

**fontana** L. Sp. Pl. 87 (1753).

79 *CLAYTONIA* L.

*perfoliata* Donn ex Willd. Sp. Pl. i. 1186 (1797).

*sibirica* L. Sp. Pl. 204 (1753).

II *alsinoides* Sims.

## XIII.* TAMARICACEÆ

79* *TAMARIX* L.

*gallica* L. Sp. Pl. 270 (1753).

III *T. anglica* Webb.

## XIV. ELATINACEÆ

80 **ELATINE** L.

**hexandra** DC. Fl. Pl. Gall. 14 (1808).

**Hydropiper** L. Sp. Pl. 367 (1753).

## XV. MALVACEÆ

81 **MALVA** L.

**moschata** L. Sp. Pl. 699 (1753).

**sylvestris** L. Sp. Pl. 689 (1753).

**rotundifolia** L. Sp. Pl. 688 (1753).

82 **ALTHAEA** L.

**officinalis** L. Sp. Pl. 686 (1753).

**hirsuta** L. Sp. Pl. 687 (1753).

83 **LAVATERA** L.

**arborea** L. Sp. Pl. 690 (1753).

**sylvestris** Brotero Fl. Lusit. ii. 277 (1804).

## XVI. TILIACEÆ

84 **TILIA** L.

**cordata** Miller Gard. Dict. ed. 8, n. 1 (1768).

I under *europaea* MB.

II *parvifolia* Ehrh.

*platyphyllos* Scopoli Fl. Carn. ed. 2, i. 313 (1772).

I under *europaea*.

## XVII. HYPERICACEÆ

85 **HYPERICUM** L.

1 *calycinum* L. Mant. 106 (1767).

2 **Androsaemum** L. Sp. Pl. 784 (1753).

3 **quadrangulum** L. Sp. Pl. 785 (1753).

II *tetrapterum* Fr.

4 **undulatum** Schousboe ex Willd. Enum. Pl. Hort. Berol. 810 (1809).

I under *quadrangulum*.

5 **perforatum** L. Sp. Pl. 785 (1753).

6 **maculatum** Crantz Stirp. Austr. ed. 2, 98 (1769).

I *dubium* Leers.

II *quadrangulum* Fr.

7 **humifusum** L. Sp. Pl. 785 (1753).

8 **linarifolium** Vahl Symb. Bot. i. 65 (1790).

9 **hirsutum** L. Sp. Pl. 786 (1753).

10 **montanum** L. Fl. Suec. ii. 266 (1755).

11 **pulchrum** L. Sp. Pl. 786 (1753).

12 **elodes** L. Amoen. Acad. iv. 105 (1759).

## XVIII. GERANIACEÆ

86 **GERANIUM** L.

1 *phaeum* L. Sp. Pl. 681 (1753).

2 *sanguineum* L. Cent. Plant. i. 23 (1755).

I not included.

II *striatum* L.

3 **sylvaticum** L. Sp. Pl. 681 (1753).

4 **pratense** L. Sp. Pl. 681 (1753).

5 **sanguineum** L. Sp. Pl. 685 (1753).

6 **pyrenaicum** N. L. Burman Geran. 27 (1759).

II *purpureum* Hoffm.

86 **GERANIUM**—*continued.*

7 **molle** L. Sp. Pl. 682 (1753).

8 **rotundifolium** L. Sp. Pl. 683 (1753).

9 **pusillum** L. Syst. ed. 10, 1144 (1759).

10 **dissectum** L. Cent. Plant. i. 21 (1755).

11 **columbinum** L. Sp. Pl. 682 (1753).

12 **lucidum** L. Sp. Pl. 682 (1753).

13 **Robertianum** L. Sp. Pl. 681 (1753).

87 **ERODIUM** L'Hérit.

**cicutarium** L'Héritier in Ait. Hort. Kew. ii. 414 (1789).

**moschatum** L'Héritier, l.c.

**maritimum** L'Héritier, l.c. 416.

88 **IMPATIENS** L.

**Noli-tangere** L. Sp. Pl. 938 (1753).

*biflora* Walter Fl. Carolin. 219 (1788).

I II *fulva* Nutt.

*parviflora* DC. Prodr. i. 687 (1824).

89 **OXALIS** L.

**Acetosella** L. Sp. Pl. 433 (1753).

*corniculata* L. Sp. Pl. 435 (1753).

I II III *stricta* L.

**stricta** L. Sp. Pl. 435 (1753).

I II III *corniculata* L.

## XIX. LINACEÆ

90 **LINUM** L.

**angustifolium** Hudson Fl. Anglica, ed. 2, 134 (1778).

**perenne** L. Sp. Pl. 277 (1753).

**catharticum** L. Sp. Pl. 281 (1753).

91 **MILLEGRANA** Adans.

**Radiola** Druce Fl. Berks. 114 (1897).

I *Radiola Millegrana* Sm.

II III *R. linoides* Roth.

## XX. ACERACEÆ

92 **ACER** L.

**campestre** L. Sp. Pl. 1055 (1753).

*Pseudoplatanus* L. Sp. Pl. 1054 (1753).

## XXI. AQUIFOLIACEÆ

93 **ILEX** L.

**Aquifolium** L. Sp. Pl. 125 (1753).

## XXII. CELASTRACEÆ

94 **EUONYMUS** L.

**europaeus** L. Sp. Pl. 197 (1753).

## XXIII. RHAMNACEÆ

95 **RHAMNUS** L.

**catharticus** L. Sp. Pl. 193 (1753).

**Frangula** L. Sp. Pl. 193 (1753).

## XXIV. LEGUMINOSÆ

96 **ULEX** L.

**europaeus** L. Sp. Pl. 741 (1753).

**Gallii** Planchon in Ann. Sci. Nat. ser. 3, xi. 213 (1849).

I II under *nanus*.

**minor** Roth Catalect. i. 83 (1797).

I II *nanus* Forst.

97 **GENISTA** L.

**pilosa** L. Sp. Pl. 710 (1753).

**tinctoria** L. Sp. Pl. 710 (1753).

**anglica** L. Sp. Pl. 710 (1753).

98 **SAROTHAMNUS** Wimm.

**scoparius** Wimmer ex Koch Syn. Fl. Germ. i. 52 (1836).

I II *Cytisus scoparius* Link,
III *S. vulgaris* Wimm.

99 **ONONIS** L.

**spinosa** L. Sp. Pl. 716 (1753).

I *arvensis* L.

**repens** L. Sp. Pl. 717 (1753).

I under *arvensis*,
II under *spinosa*.

100 *LUPINUS* L.

*nootkatensis* Donn ex Sims Bot. Mag. 1311 (1810).

101 **MEDICAGO** L.

**sylvestris** Fries Mant. iii. 92 (1842).

I II under *falcata*.

**falcata** L. Sp. Pl. 779 (1753).

**lupulina** L. Sp. Pl. 779 (1753).

**101 MEDICAGO** — *continued*

**arabica** Hudson Fl. Anglica, 288 (1762).

I II *maculata* Willd.

**minima** L. Fl. Anglica, 21 (1754).

**denticulata** Willdenow Sp. Pl. iii. 1414 (1800).

**102 MELILOTUS** Hill.

**officinalis** Lamarck Fl. France, ii. 594 (1778).

II *altissima* Thuill.

**Petitpierreana** Hayne ex Willd. Hort. Berol. 790 (1809).

I III *arvensis* Wallr.

II *glaucula* Desr.

*alba* Desrousseaux in Lam. Encycl. iv. 63 (1795–6).

**103 TRIFOLIUM** L.

1 **pratense** L. Sp. Pl. 768 (1753).

2 **medium** L. Amoen. Acad. iv. 105 (1759).

3 **ochroleucon** Hudson Fl. Anglica, 283 (1762).

4 **Molinerii** Balbis Cat. Hort. Taur. App. i. 17 (1813).

I II III under *incarnatum*.

5 *stellatum* L. Sp. Pl. 769 (1753).

6 **arvense** L. Sp. Pl. 769 (1753).

7 **striatum** L. Sp. Pl. 770 (1753).

8 **scabrum** L. Sp. Pl. 770 (1753).

9 **Bocconei** Savi Obs. Trifol. 37 (1810).

10 **squamosum** L. Amoen. Acad. iv. 105 (1759).

I II *maritimum* Huds.

11 **subterraneum** L. Sp. Pl. 767 (1753).

12 **glomeratum** L. Sp. Pl. 770 (1753).

13 **strictum** L. Cent. i. 24 (1755).

14 **suffocatum** L. Mant. 276 (1771).

15 **repens** L. Sp. Pl. 767 (1753).

16 *hybridum* L. Sp. Pl. 766 (1753).

17 **fragiferum** L. Sp. Pl. 772 (1753).

18 **procumbens** L. Sp. Pl. 772 (1753).

19 **dubium** Sibth. Fl. Oxon. 231 (1794).

I *minus* Sm.

20 **filiforme** L. Sp. Pl. 773 (1753).

**104 TRIGONELLA** L.

**ornithopodioides** DC. Fl. Fr. iv. 550 (1805).

I III *purpurascens* Lam.

**105 LOTUS** L.

**corniculatus** L. Sp. Pl. 775 (1753).

**tenuis** Waldstein & Kitaibel ex Willd. Enum. Hort. Berol. ii. 797 (1809).

I II under *corniculatus*.

**uliginosus** Schkuhr Handb. ii. 412 (1796).

I under *corniculatus*.

**angustissimus** L. Sp. Pl. 774 (1753).

**hispidus** Desfontaines ex Lamarck Fl. Gall. 490 (1807).

I under *angustissimus*.

**106 ANTHYLLIS** L.

**Vulneraria** L. Sp. Pl. 719 (1753).

**107 OXYTROPIS** DC.

**uralensis** DC. Astragal. 68 (1802).

**campestris** DC. Astragal. 74 (1802).

**108 ASTRAGALUS** L.

**danicus** Retzius Obs. iii. 41 (1787).

**alpinus** L. Sp. Pl. 760 (1753).

**glycyphyllos** L. Sp. Pl. 758 (1753).

**109 VICIA** L.

1 **hirsuta** S. F. Gray Nat. Arr. Brit. Pl. ii. 614 (1821).

2 **tetrasperma** Moench Method. 148 (1794).

III *gracilis* Crantz.

3 **gracilis** Loiseleur Fl. Gall. 360 (1807).

I II under *tetrasperma*.

4 **sylvatica** L. Sp. Pl. 734 (1753).

5 **Orobus** DC. Fl. France, v. 377 (1815).

6 **Cracca** L. Sp. Pl. 735 (1753).

7 **bithynica** L. Syst. ed. xii. 1066 (1759).

8 **sepium** L. Sp. Pl. 737 (1753).

9 **lutea** L. Sp. Pl. 736 (1753).

10 **angustifolia** L. Amoen. Acad. iv. 105 (1759).

I III under *sativa* L.

11 **lathyroides** L. Sp. Pl. 736 (1753).

**110 LATHYRUS** L.

1 **Aphaca** L. Sp. Pl. 729 (1753).

2 **Nissolia** L. Sp. Pl. 729 (1753).

3 **hirsutus** L. Sp. Pl. 732 (1753).

4 **pratensis** L. Sp. Pl. 733 (1753).

5 **tuberosus** L. Sp. Pl. 732 (1753).

110 **LATHYRUS**—*continued.*
6 **sylvestris** L. Sp. Pl. 733 (1753).
7 **palustris** L. Sp. Pl. 733 (1753).
8 **maritimus** Bigelow Fl. Boston. ed. 2, 268 (1824).
9 **montanus** Bernhardi Syst. Verz. Erf. 247 (1800).
I II *macrorrhizus* Wimm.
10 **niger** Bernhardi Syst. Verz. Erf. 247 (1800).

111 **ORNITHOPUS** L.
**perpusillus** L. Sp. Pl. 743 (1753).

112 **CORONILLA** L.
**varia** L. Sp. Pl. 743 (1753).

113 **ARTHROLOBIUM** Desv.
**pinnatum** *comb. nov.*
I II *Ornithopus ebracteatus* Brot.
III *A. ebracteatum* DC.

114 **HIPPOCREPIS** L.
**comosa** L. Sp. Pl. 744 (1753).

115 **ONOBRYCHIS** Mill.
**viciæfolia** Scopoli Fl. Carn. ed. 2, ii. 76 (1772).
I II *sativa* Lam.

## XXV. ROSACEÆ

116 **PRUNUS** L.
**spinosa** L. Sp. Pl. 475 (1753).
II *communis* Huds.
**Padus** L. Sp. Pl. 473 (1753).
**avium** L. Fl. Suec. ed. 2, 165 (1755).
I under *Cerasus.*
**Cerasus** L. Sp. Pl. 474 (1753).

117 **SPIRAEA** L.
*salicifolia* L. Sp. Pl. 489 (1753).
**Ulmaria** L. Sp. Pl. 490 (1753).
**Filipendula** L. Sp. Pl. 490 (1753).

118 **SANGUISORBA** L.
**officinalis** L. Sp. Pl. 116 (1753).
I *Poterium officinale* Hook. f.

119 **POTERIUM** L.
**Sanguisorba** L. Sp. Pl. 994 (1753).
**polygamum** Waldstein & Kitaibel Pl. Rar. Hung. ii. 217 (1805).
I II *muricatum* Spach.

120 **AGRIMONIA** L.
**Eupatoria** L. Sp. Pl. 448 (1753).
**odorata** Miller Gard. Dict. ed. 8. n. 3 (1768).
I II under *Eupatoria.*

121 **ALCHEMILLA** L.
**vulgaris** L. Sp. Pl. 123 (1753).
**alpina** L. Sp. Pl. 123 (1753).
**argentea** G. Don ex Trevelyan Veg. Faroe Islands, 10 (1837).
I II under *alpina,*
III *conjuncta* Bab.
**arvensis** Scopoli Fl. Carn. ed. 2, i. 115 (1772).

122 **SIBBALDIA** L.
**procumbens** L. Sp. Pl. 284 (1753).
I II *Potentilla Sibbaldi* Hall. f.

123 **POTENTILLA** L.
1 **rupestris** L. Sp. Pl. 496 (1753).
2 **Anserina** L. Sp. Pl. 495 (1753).
3 **argentea** L. Sp. Pl. 497 (1753).
4 **verna** L. Sp. Pl. 498 (1753).
5 **Crantzii** Beck Fl. Nied. Oesterr. 760 (1892).
I under *verna,*
II *salisburgensis* Haenke.
III *rubens* Vill.
6 **reptans** L. Sp. Pl. 499 (1753).
7 **sylvestris** Necker Deliciæ, i. 222 (1768).
I II *Tormentilla* Neck.
8 *norvegica* L. Sp. Pl. 499 (1753).
9 **fruticosa** L. Sp. Pl. 495 (1753).
10 **sterilis** Garcke Fl. Deutschl. ed. 4, 112 (1858).
I II III *Fragariastrum* Ehrh.

124 **COMARUM** L.
**palustre** L. Sp. Pl. 502 (1753).
I *Potentilla palustris* Scop.
II *P. Comarum* Nestl.

125 **FRAGARIA** L.
**vesca** L. Sp. Pl. 494 (1753).
*moschata* A. N. Duchesne Hist. des Frais. 145 (1766).
I II *elatior* Ehrh.

126 **RUBUS** L. (See Preface)
**Idaeus** L. Sp. Pl. 492 (1753).
**fruticosus** L. Sp. Pl. 493 (1753).
**caesius** L. Sp. Pl. 493 (1753).
**saxatilis** L. Sp. Pl. 494 (1753).
**Chamaemorus** L. Sp. Pl. 494 (1753).

127 **DRYAS** L.
**octopetala** L. Sp. Pl. 501 (1753).

128 **GEUM** L.
**urbanum** L. Sp. Pl. 501 (1753).
**rivale** L. Sp. Pl. 501 (1753).

129 **ROSA** L.
1 **spinosissima** L. Sp. Pl. 491 (1753).
I *pimpinellifolia* L.
2 **involuta** Smith Fl. Brit. 1398 (1804).
I not included.
3 **villosa** L. Sp. Pl. 491 (1753).
4 **tomentosa** Smith Fl. Brit. ii. 539 (1800).
I II under *villosa*.
5 **eglanteria** L. Sp. Pl. 491 (1753).
I II *rubiginosa* L.
6 **micrantha** Smith Engl. Bot. t. 2490 (1812).
I II under *rubiginosa*.
7 **agrestis** Savi Fl. Pis. i. 475 (1798).
I not included.
II under *rubiginosa*.
8 **obtusifolia** Desvaux in Journ. de Bot. ii. 317 (1809).
I II see *canina*.
9 **canina** L. Sp. Pl. 491 (1753).
10 **glauca** Villars ex Loiseleur in Journ. de Bot. ii. 336 (1809).
I II see *canina*.
11 **stylosa** Desvaux in Journ. de Bot. ii. 317 (1809).
I see under *canina*.
II under *arvensis*.
12 **arvensis** Hudson Fl. Anglica, 192 (1762).

130 **CRATAEGUS** L.
**Oxyacantha** L. Sp. Pl. 477 (1753).

131 **COTONEASTER** Medic.
**integerrimus** Medicus Geschicht. 85 (1793).
I II *vulgaris* Lindl.

132 *MESPILUS* L.
*germanica* L. Sp. Pl. 478 (1753).
II under *Pyrus*.

133 **PYRUS** L.
1 **communis** L. Sp. Pl. 479 (1753).
2 **Malus** L. Sp. Pl. 479 (1753).
3 **Aucuparia** Ehrhart Beitr. vi. 94 (1791).
4 **fennica** Babington Man. ed. 5. 111 (1851).
5 **intermedia** Ehrhart Beitr. iv. 29 (1789).
6 **Aria** Ehrhart Beitr. iv. 29 (1789).
I II include 4–8 here.
7 **rupicola** Syme Engl. Bot. ed. 3, iii. 244 (1864).
8 **latifolia** Syme in Rep. Bot. Exch. Club 1872–4, 19 (1875).
9 **torminalis** Ehrhart Beitr. vi. 92 (1791).

## XXVI. LYTHRACEÆ

134 **LYTHRUM** L.
**Salicaria** L. Sp. Pl. 446 (1753).
**Hyssopifolia** L. Sp. Pl. 447 (1753).

135 **PEPLIS** L.
**Portula** L. Sp. Pl. 332 (1753).

## XXVII. ONAGRACEÆ

136 **EPILOBIUM** L.
1 **angustifolium** L. Sp. Pl. 347 (1753).
2 **hirsutum** L. Sp. Pl. 347 (1753).
3 **parviflorum** Schreber Spicil. Fl. Lips. 146 (1771).
4 **montanum** L. Sp. Pl. 348 (1753).
5 **lanceolatum** Sebastiani & Mauri Fl. Rom. Prodr. 138 (1818).
I under *montanum*.
6 **roseum** Schreber Spicil. Fl. Lips. 147 (1771).
7 **tetragonum** L. Sp. Pl. 348 (1753).
8 **Lamyi** F. Schultz in Flora xxvii. 806 (1844).
I under *tetragonum*.
9 **obscurum** Schreber Spicil. Fl. Lips. 147 (1771).
I II under *tetragonum*.
10 **palustre** L. Sp. Pl. 348 (1753).
11 **alpinum** L. Sp. Pl. 348 (1753).
12 **alsinifolium** Villars Prosp. 45 (1779).

137 *OENOTHERA* L.
*biennis* L. Sp. Pl. 346 (1753).
*adenata* Jacquin Ic. Pl. Rar. iii. 3 (1786).

**138 LUDWIGIA** L.
**palustris** Elliott Bot. S. Carol. i. 211 (1817).
III *apetala* Walt.

**139 CIRCAEA** L.
**lutetiana** L. Sp. Pl. 9 (1753).
**alpina** L. Sp. Pl. 9 (1753).

## XXVIII. CUCURBITACEÆ

**140 BRYONIA** L.
**dioica** Jacquin Fl. Austr. ii. 59 (1774).

## XXIX. CRASSULACEÆ

**141 TILLAEA** L.
**muscosa** L. Sp. Pl. 129 (1753).

**142 SEDUM** L.
1 **roseum** Scopoli Fl. Carn. ed. 2, i. 326 (1772).
I II *Rhodiola* DC.
2 **Telephium** L. Sp. Pl. 430 (1753).
3 **purpureum** Tausch in Flora, xvii. 515 (1834).
I II III *Fabaria* Koch
(I II under *Telephium*)
4 **villosum** L. Sp. Pl. 432 (1753).
5 **album** L. Sp. Pl. 432 (1753).
6 *dasyphyllum* L. Sp. Pl. 431 (1753).
7 **anglicum** Hudson Fl. Angl. ed. 2, 196 (1778).
8 **acre** L. Sp. Pl. 432 (1753).
9 *reflexum* L. Fl. Succ. ed. 2, 463 (1755).
10 **rupestre** L. Sp. Pl. 431 (1753).
11 **Forsterianum** Smith Engl. Bot. t. 1802 (1807).
I II under *rupestre*.

**143 COTYLEDON** L.
**Umbilicus** L. Sp. Pl. 429 (1753).

## XXX. RIBESIACEÆ

**144 RIBES** L.
**Grossularia** L. Sp. Pl. 201 (1753).
**alpinum** L. Sp. Pl. 200 (1753).
**nigrum** L. Sp. Pl. 201 (1753).
**rubrum** L. Sp. Pl. 200 (1753).

## XXXI. SAXIFRAGACEÆ

**145 SAXIFRAGA** L.
1 **umbrosa** L. Sp. Pl. ed. 2, 574 (1762).
2 **Geum** L. Sp. Pl. 401 (1753).
3 **stellaris** L. Sp. Pl. 400 (1753).
4 **Hirculus** L. Sp. Pl. 402 (1753).
5 **aizoides** L. Sp. Pl. 403 (1753).
6 **hypnoides** L. Sp. Pl. 405 (1753).
7 **caespitosa** L. Sp. Pl. 404 (1753).
II under *hypnoides*.
8 **rosacea** Moench Method. 106 (1794).
I II III *decipiens* Ehrh.
(I II under *hypnoides*)
9 **sponhemica** Gmelin Fl. Bad. ii. 224 (1806).
I II under *hypnoides*.
10 **tridactylites** L. Sp. Pl. 404 (1753).
11 **granulata** L. Sp. Pl. 403 (1753).
12 **cernua** L. Sp. Pl. 403 (1753).
13 **rivularis** L. Sp. Pl. 404 (1753).
14 **nivalis** L. Sp. Pl. 401 (1753).
15 **oppositifolia** L. Sp. Pl. 402 (1753).

**146 CHRYSOSPLENIUM** L.
**alternifolium** L. Sp. Pl. 398 (1753).
**oppositifolium** L. Sp. Pl. 398 (1753).

**147 PARNASSIA** L.
**palustris** L. Sp. Pl. 273 (1753).

## XXXII. DROSERACEÆ

**148 DROSERA** L.
**rotundifolia** L. Sp. Pl. 281 (1753).
**longifolia** L. Sp. Pl. 282 (1753).
II *intermedia* Hayne.
**anglica** Hudson Fl. Anglica, ed. 2, 135 (1778).

## XXXIII. HALORAGACEÆ

**149 MYRIOPHYLLUM** L.
**verticillatum** L. Sp. Pl. 992 (1753).
**spicatum** L. Sp. Pl. 992 (1753).
**alterniflorum** DC. Fl. France, v. 529 (1815).
I under *spicatum*.

**150 HIPPURIS** L.
**vulgaris** L. Sp. Pl. 4 (1753).

## XXXIV. UMBELLIFERÆ

151 **HYDROCOTYLE** L.
vulgaris L. Sp. Pl. 234 (1753).

152 **SANICULA** L.
**europaea** L. Sp. Pl. 235 (1753).

153 **ERYNGIUM** L.
**maritimum** L. Sp. Pl. 232 (1753).
**campestre** L. Sp. Pl. 233 (1753).

154 **CICUTA** L.
**virosa** L. Sp. Pl. 255 (1753).

155 **APIUM** L.
**graveolens** L. Sp. Pl. 264 (1753).
**nodiflorum** H. G. Reichenbach Ic. Fl. Germ. xxi. 10 (1867).
**inundatum** H. G. Reichenbach Ic. Fl. Germ. xxi. 9 (1867).

156 **PETROSELINUM** Hill.
**segetum** Koch in Nov. Act. Cur. xii. 1, 128 (1824).
I II *Carum segetum* Benth.

157 **SISON** L.
**Amomum** L. Sp. Pl. 252 (1753).

158 **TRINIA** Hoffmann.
**glauca** H. G. L. Reichenbach Iconogr. v. 25 (1827).
I II *vulgaris* DC.
III *Apiudla glauca* O. Kuntze

159 **AEGOPODIUM** L.
**Podagraria** L. Sp. Pl. 265 (1753).

160 **CARUM** L.
**verticillatum** Koch in Nov. Act. Cur. xii. 1, 122 (1824).
**majus** *comb. nov.*
I II *Conopodium denudatum* Koch.
III *flexuosum* Fr.
**Bulbocastanum** Koch in Nov. Act. Cur. xii. 1, 121 (1824).

161 **PIMPINELLA** L.
**major** Hudson Fl. Angl. 110 (1762).
I *magna* L.
**Saxifraga** L. Sp. Pl. 263 (1753).

162 **SIUM** L.
**latifolium** L. Sp. Pl. 251 (1753).
**erectum** Hudson Fl. Angl. 110 (1762).
I II *angustifolium* L.

163 **BUPLEURUM** L.
**tenuissimum** L. Sp. Pl. 238 (1753).
**opacum** Lange in Willk. & Lange Prodr. Fl. Hispan. iii. 71 (1880).
I II III *orientatum* Bartl.
**falcatum** L. Sp. Pl. 237 (1753).
**rotundifolium** L. Sp. Pl. 236 (1753).

164 **OENANTHE** L.
**fistulosa** L. Sp. Pl. 254 (1753).
**pimpinelloides** L. Sp. Pl. 255 (1753).
**Lachenalii** C. C. Gmelin Fl. Bad. i. 678 (1805).
I under *pimpinelloides*.
**peucedanifolia** Pollich Hist. Pl. Palat. i. 289 (1776).
I under *pimpinelloides*.
**crocata** L. Sp. Pl. 254 (1753).
**aquatica** Poir. in Lam. Encycl. iv. 530 (1798 ?).
I II III *Phellandrium* Lam.
**fluviatilis** Coleman in Ann. Mag. Nat. Hist. xiii. 182 (1844).
I II under *Phellandrium*.

165 **AETHUSA** L.
**Cynapium** L. Sp. Pl. 256 (1753).

166 **FOENICULUM** Mill.
**vulgare** Miller Gard. Dict. Ed. 8, n. 1 (1768).
II *officinale* All.

167 **SESELI** L.
**Libanotis** Koch in Nov. Act. Cur. xii. 1, 111 (1824).

168 **HALOSCIAS** Fries.
**scoticum** Fries Summa Veg. Scand. i. 180 (1846).
I II *Ligusticum scoticum* L.

169 **SILAUS** Bernh.
**flavescens** Bernhardi Syst. Verz. Erfurt. 174 (1800).
I II *pratensis* Bess.

170 **MEUM** Mill.
**athamanticum** Jacquin Fl. Austr. iv. 2 (1776).

171 **CRITHMUM** L.
**maritimum** L. Sp. Pl. 246 (1753).

172 **ANGELICA** L.
**sylvestris** L. Sp. Pl. 251 (1753).

173 **SELINUM** L.
**Carvifolia** L. Sp. Pl. ed. 2, 350 (1762).

174 **PEUCEDANUM** L.
**officinale** L. Sp. Pl. 245 (1753).
**palustre** Moench Method. 82 (1794).
**Ostruthium** Koch in Nov. Act. Cur. xii. 1, 95 (1824).

175 **PASTINACA** L.
**sativa** L. Sp. Pl. 262 (1753).
II *Peucedanum sativum* Benth.

176 **HERACLEUM** L.
**Sphondylium** L. Sp. Pl. 249 (1753).

177 **DAUCUS** L.
**Carota** L. Sp. Pl. 242 (1753).
**gummifer** Lamarck Encycl. i. 634 (1785).
I II under *Carota*.

178 **CAUCALIS** L.
**daucoides** L. Sp. Pl. 241 (1753).

179 **TORILIS** Adans.
**Anthriscus** Bernhardi Syst. Verz. Erfurt. 167 (1800).
I II *Caucalis Anthriscus* Huds.
**arvensis** Link Enum. i. 265 (1821).
I II *C. arvensis* Huds.
III *T. infesta* Spreng.
**nodosa** Gaertner Fruct. i. 82 (1788).
I II *C. nodosa* Scop.

180 **SCANDIX** L.
**Pecten-Veneris** L. Sp. Pl. 256 (1753).

181 **CHAEROPHYLLUM** L.
**sylvestre** L. Sp. Pl. 258 (1753).
II *Anthriscus sylvestris* Hoffm.
**Anthriscus** Lamarck Encycl. i. 685 (1785).
II *A. vulgaris* Pers.
**temulum** L. Sp. Pl. 258 (1753).

182 **MYRRHIS** Scop.
**Odorata** Scopoli Fl. Carn. ed. 2, i. 207 (1772).

183 **CONIUM** L.
**maculatum** L. Sp. Pl. 243 (1753).

184 **PHYSOSPERMUM** Cusson.
**cornubiense** DC. Prodr. iv. 246 (1830).
III *commutatum* Spreng.

185 **SMYRNIUM** L.
**Olusatrum** L. Sp. Pl. 262 (1753).

## XXXV. ARALIACEÆ

186 **HEDERA** L.
**Helix** L. Sp. Pl. 202 (1753).

## XXXVI. CORNACEÆ

187 **CORNUS** L.
**sanguinea** L. Sp. Pl. 117 (1753).
**suecica** L. Sp. Pl. 118 (1753).

## XXXVII. LORANTHACEÆ

188 **VISCUM** L.
**album** L. Sp. Pl. 1023 (1753).

## XXXVIII. CAPRIFOLIACEÆ

189 **ADOXA** L.
**Moschatellina** L. Sp. Pl. 367 (1753).

190 **SAMBUCUS** L.
**Ebulus** L. Sp. Pl. 269 (1753).
**nigra** L. Sp. Pl. 269 (1753).

191 **VIBURNUM** L.
**Lantana** L. Sp. Pl. 268 (1753).
**Opulus** L. Sp. Pl. 268 (1753).

192 **LONICERA** L.
**Periclymenum** L. Sp. Pl. 173 (1753).

193 **LINNAEA** L.
**borealis** L. Sp. Pl. 631 (1753).

## XXXIX. RUBIACEÆ

194 **SHERARDIA** L.
**arvensis** L. Sp. Pl. 102 (1753).

195 **ASPERULA** L.
**cynanchica** L. Sp. Pl. 104 (1753).
**odorata** L. Sp. Pl. 103 (1753).

196 **GALIUM** L.
1 **boreale** L. Sp. Pl. 108 (1753).
2 **Cruciata** Scopoli Fl. Carn. ed. 2, i. 100 (1772).
3 **tricorne** Stokes in With. Arr. ed. 2, i. 152 (1787).
4 **Aparine** L. Sp. Pl. 108 (1753).

196 **GALIUM**—*continued.*

5 **spurium** L. Sp. Pl. 106 (1753).
I under *Aparine*.

6 **anglicum** Hudson Fl. Anglica, ed. 2, 69 (1778).

7 **Mollugo** L. Sp. Pl. (1753).

8 **erectum** Hudson Fl. Anglica, 56 (1762).
I II under *Mollugo*.

9 **verum** L. Sp. Pl. 107 (1753).

10 **saxatile** L. Sp. Pl. 106 (1753).

11 **umbellatum** Lamarck Encycl. ii. 579 (1788).
I under *saxatile* as *sylvestre* Poll.
II *sylvestre*.

12 **uliginosum** L. Sp. Pl. 106 (1753).

13 **palustre** L. Sp. Pl. 105 (1753).

197 **RUBIA** L.

**peregrina** L. Sp. Pl. 109 (1753).

## XL. VALERIANACEÆ

198 *KENTRANTHUS* Neck.

*ruber* DC. Fl. France, iv. 239 (1805).

199 **VALERIANA** L.

**officinalis** L. Sp. Pl. 31 (1753).

*pyrenaica* L. Sp. Pl. 33 (1753).

**dioica** L. Sp. Pl. 31 (1753).

200 **VALERIANELLA** Hill.

**olitoria** Pollich Hist. Pl. Palat. i. 30 (1776).

**carinata** Loiseleur Not. Pl. Fl. France, 149 (1810).

**rimosa** Bastard in Desv. Journ. de Bot. iii. 20 (1814).
I II *Auricula* DC.

**dentata** Pollich Hist. Pl. Palat. i. 30 (1776).

**eriocarpa** Desvaux in Journ. de Bot. ii. 314 (1809).
I under *dentata*.

## XLI. DIPSACACEÆ

201 **DIPSACUS** L.

**sylvestris** Hudson Fl. Anglica, 49 (1762).

**pilosus** L. Sp. Pl. 97 (1753).

202 **KNAUTIA** Coult.

**arvensis** Coulter Dipsaceæ, 29 (1823).
I II *Scabiosa arvensis* L.

203 **SCABIOSA** L.

**Succisa** L. Sp. Pl. 98 (1753).

**Columbaria** L. Sp. Pl. 99 (1753).

## XLII. COMPOSITÆ

204 **EUPATORIUM** L.

**cannabinum** L. Sp. Pl. 838 (1753).

205 **PETASITES** Hill.

**ovatus** Hill Herb. Brit. i. 28 (1769).
I *Tussilago Petasites* L.
II *vulgaris* Desf.
III *officinalis* Moench.

*fragrans* Presl Fl. Sicula, i. xxvi. (1826).

206 **TUSSILAGO** L.

**Farfara** L. Sp. Pl. 865 (1753).

207 **ASTER** L.

**Tripolium** L. Sp. Pl. 872 (1753).

208 **ERIGERON** L.

*canadensis* L. Sp. Pl. 863 (1753).

**acris** L. Sp. Pl. 863 (1753).

**alpinus** L. Sp. Pl. 864 (1753).

209 **BELLIS** L.

**perennis** L. Sp. Pl. 886 (1753).

210 **SOLIDAGO** L.

**Virgaurea** L. Sp. Pl. 880 (1753).

211 **LINOSYRIS** DC.

**vulgaris** DC. Prodr. v. 352 (1836).
I II *Aster vulgaris* Bernh.

212 **INULA** L.

**Helenium** L. Sp. Pl. 881 (1753).

**salicina** L. Sp. Pl. 882 (1753).

**vulgaris** Trevisan Fl. Euganea, 29 (1842).
I II III *Conyza* DC.

**crithmoides** L. Sp. Pl. 883 (1753).

213 **PULICARIA** Gaertn.

**prostrata** Ascherson Fl. Brandenb. i. 304 (1864).
I *Inula Pulicaria* L.
II III *vulgaris* Gaertn.

213 **PULICARIA** Gaertn.—*contd.*
**dysenterica** S. F. Gray Nat. Arr. ii. 463 (1821).
I *I. dysenterica* L.

214 **FILAGO** L.
**germanica** Hudson Fl. Anglica, 328 (1762).
**apiculata** G. E. Smith in Phytol. ii. 575 (1846).
I II under *germanica*.
**spathulata** Presl Delic. 99 (1822).
I II under *germanica*.
**minima** Fries Nov. Fl. Suec. 99 (1823).
**gallica** L. Sp. Pl. *Add.* (1753).

215 **GNAPHALIUM** L.
**luteo-album** L. Sp. Pl. 851 (1753).
**uliginosum** L. Sp. Pl. 856 (1753).
**sylvaticum** L. Sp. Pl. 856 (1753).
**norvegicum** Gunnerus Fl. Norveg. ii. 105 (1772).
I II under *sylvaticum*.
**supinum** L. Syst. ed. iii. 234 (1768).

216 **ANTENNARIA** Gaertn.
**dioica** Gaertner Fruct. ii. 410 (1791).
*margaritacea* Brown ex Less. Syn. Comp. 354 (1832).

217 **ACHILLEA** L.
**Ptarmica** L. Sp. Pl. 898 (1753).
**Millefolium** L. Sp. Pl. 899 (1753).

218 **ANTHEMIS** L.
**arvensis** L. Sp. Pl. 894 (1753).
**Cotula** L. Sp. Pl. 894 (1753).
**nobilis** L. Sp. Pl. 894 (1753).

219 **MATRICARIA** L.
*Parthenium* L. Sp. Pl. 890 (1753).
I II *Chrysanthemum Parthenium* Pers
**inodora** L. Fl. Suec. ed. 2, 297 (1755).
**Chamomilla** L. Sp. Pl. 891 (1753).
*discoidea* DC. Prodr. vi. 50 (1837).

220 **CHRYSANTHEMUM** L.
**Leucanthemum** L. Sp. Pl. 888 (1753).
**segetum** L. Sp. Pl. 889 (1753).

221 **DIOTIS** Desf.
**maritima** Cassini in Dict. Sci. Nat. xiii. 295 (1819).
III *candidissima* Desf.

222 **ARTEMISIA** L.
**Absinthium** L. Sp. Pl. 848 (1753).
**campestris** L. Sp. Pl. 846 (1753).
**vulgaris** L. Sp. Pl. 848 (1753).
**maritima** L. Sp. Pl. 846 (1753).
*Stelleriana* Besser in Nouv. Mém. Soc. Nat. Mosc. iii, 79 (1834).

223 *COTULA*.
*coronopifolia* L. Sp. Pl. 892 (1753).

224 **TANACETUM** L.
**vulgare** L. Sp. Pl. 844 (1753).

225 **SENECIO** L.
1 **vulgaris** L. Sp. Pl. 867 (1753).
2 **sylvaticus** L. Sp. Pl. 868 (1753).
3 **viscosus** L. Sp. Pl. 868 (1753).
4 *squalidus* L. Sp. Pl. 869 (1753).
5 **erucifolius** L. Sp. Pl. [869 et errata] (1753).
6 **Jacobaea** L. Sp. Pl. 870 (1753).
7 **aquaticus** Hudson Fl. Anglica, 317 (1762).
8 **paludosus** L. Sp. Pl. 870 (1753).
9 *sarracenicus* L. Sp. Pl. 871 (1753).
10 **palustris** Hooker Fl. Bor. Amer. i. 334 (1834).
11 **integrifolius** Clairville Man. Herbor. 241 (1811).
I II III *campestris* DC.
12 **spathulifolius** DC. Prodr. vi. 362 (1837).
I II under *campestris*.
13 *Cineraria* DC. Prodr. vi. 355 (1837).

226 **BIDENS** L.
1 **tripartita** L. Sp. Pl. 831 (1753).
2 **cernua** L. Sp. Pl. 832 (1753).

227 *GALINSOGA* R. & P.
*parviflora* Cavanilles Ic. iii. 41 (1794).

228 **SAUSSUREA** DC.
**alpina** DC. in Ann. Mus. Par. xvi. 198 (1810).

229 **CARLINA** L.
**vulgaris** L. Sp. Pl. 828 (1753).

230 **ARCTIUM** L.
**Lappa** L. Sp. Pl. 816 (1753).
I II include all here.
III *majus* Bernh.
**nemorosum** Lejeune Comp. Fl. Belg. iii. 129 (1836).
**minus** Bernhardi Syst. Verz. Erf. 154 (1800).
**pubens** Babington in Ann. Mag. Nat. Hist. ser. 2, xvii. 376 (1856).

231 **SERRATULA** L.
**tinctoria** L., Sp. Pl. 816 (1753).

232 **CENTAUREA** L.
**Jacea** L. Sp. Pl. 914 (1753).
**nigra** L. Sp. Pl. 911 (1753).
**Cyanus** L. Sp. Pl. 911 (1753).
**Scabiosa** L. Sp. Pl. 913 (1753).
*solstitialis* L. Sp. Pl. 917 (1753).
**Calcitrapa** L. Sp. Pl. 917 (1753).

233 **ONOPORDUM** L.
**Acanthium** L. Sp. Pl. 827 (1753).

234 **CARDUUS** L.
1 **nutans** L. Sp. Pl. 821 (1753).
2 **crispus** L. Sp. Pl. 821 (1753).
I *acanthoides* L.
3 **pycnocephalus** L. Sp. Pl. ed. 2, 1151 (1763).
4 **lanceolatus** L. Sp. Pl. 821 (1753).
5 **eriophorus** L. Sp. Pl. 823 (1753).
II *Cnicus eriophorus* Hoffm.
6 **arvensis** Robson Brit. Fl. 163 (1777).
II *Cn. arvensis* Hoffm.
7 **palustris** L. Sp. Pl. 822 (1753).
II *Cn. palustris* Hoffm.
8 **pratensis** Hudson Fl. Anglica, ed. 2, 353 (1778).
II *Cn. pratensis* W.
9 **tuberosus** L. Sp. Pl. 824 (1753).
II *Cn. tuberosus* Hoffm.
10 **acaulis** L. Sp. Pl. 1199 (1753).
II *Cn. acaulis* Hoffm.
11 **heterophyllus** L. Sp. Pl. 824 (1753).
II *Cn. heterophyllus* W.

235 **SILYBUM** Vaill.
**Marianum** Gaertner Fruct. ii. 378 (1791).
I *Carduus Marianus* L.
III *Mariana lactea* Hill.

236 **LAPSANA** L.
**communis** L. Sp. Pl. 811 (1753).

237 **ARNOSERIS** Gaertn.
**minima** Link Enum. Hort. Berol. ii. 294 (1822).
I II III *pusilla* Gaertn.

238 **CICHORIUM** L.
**Intybus** L. Sp. Pl. 813 (1753).

239 **HYPOCHAERIS** L.
**glabra** L. Sp. Pl. 811 (1753).
**radicata** L. Sp. Pl. 811 (1753).
**maculata** L. Sp. Pl. 810 (1753).

240 **THRINCIA**
**nudicaulis** Britten in Journ. Bot. xlv. 33 (1907).
I II *Leontodon hirtus* L.
III *hirta* Roth.

241 **LEONTODON** L.
**hispidus** L. Sp. Pl. 799 (1753).
**autumnalis** L. Sp. Pl. 798 (1753).

242 **TRAGOPOGON** L.
**pratensis** L. Sp. Pl. 789 (1753).
**minor** Miller Gard. Dict. ed. 8, n. 2 (1768).

235 **PICRIS**
**hieracioides** L. Sp. Pl. 792 (1753).

236 **HELMINTIA** Juss.
**echioides** Gaertner Fruct. ii. 368 (1791).
II *Picris echioides* L.

237 **LACTUCA** L.
**saligna** L. Sp. Pl. 796 (1753).
**Serriola** L. Cent. Pl. ii. 29 (1756).
I II *Scariola* L.
**virosa** L. Sp. Pl. 795 (1753).
I under *Scariola*.
**muralis** Gaertner Fruct. ii. 358 (1791).

238 **TARAXACUM** Juss.
**officinale** Weber in Wiggers Prim. Fl. Holsat. 58 (1780).

239 **SONCHUS** L.
**oleraceus** L. Sp. Pl. 794 (1753).
**asper** Hill Herb. Brit. 47 (1769).
I II under *oleraceus*.
**arvensis** L. Sp. Pl. 793 (1753).
**palustris** L. Sp. Pl. 793 (1753).

240 **MULGEDIUM** Cass.
**alpinum** Lessing Syn. Compos. 142 (1832).
I II *Lactuca alpina* Benth.

241 **CREPIS** L.
**taraxacifolia** Thuillier Fl. Paris, ed. 2, 409 (1799).
**foetida** L. Sp. Pl. 807 (1753).
**capillaris** Wallroth Fl. Hercyn. 287 (1840).
I II III *virens* L.
**biennis** L. Sp. Pl. 807 (1753).
**succisifolia** Tausch in Flora, xi. 1, Ergänz. 79 (1828).
I II *hieracioides* Jacq.
**paludosa** Moench Method. 535 (1794).

242 **HIERACIUM** L. (See Preface)
**Pilosella** L. Sp. Pl. 800 (1753).
**alpinum** L. Sp. Pl. 800 (1753).
**murorum** L. Sp. Pl. 802 (1753).
**sabaudum** L. Sp. Pl. 804 (1753).
II III *boreale* Fr.
**umbellatum** L. Sp. Pl. 804 (1753).

## XLIII. CAMPANULACEÆ

243 **LOBELIA** L.
**Dortmanna** L. Sp. Pl. 929 (1753).
**urens** L. Sp. Pl. 931 (1753).

244 **JASIONE** L.
**montana** L. Sp. Pl. 928 (1753).

245 **PHYTEUMA** L.
**orbiculare** L. Sp. Pl. 170 (1753).
**spicatum** L. Sp. Pl. 171 (1753).

246 **CAMPANULA** L.
**glomerata** L. Sp. Pl. 166 (1753).
**latifolia** L. Sp. Pl. 165 (1753).
**Trachelium** L. Sp. Pl. 166 (1753).
**rotundifolia** L. Sp. Pl. 163 (1753).
*Rapunculus* L. Sp. Pl. 164 (1753).
**patula** L. Sp. Pl. 163 (1753).

247 **LEGOUSIA** Durand.
**hybrida** Delarbre Fl. Auvergne, ed. 2, 47 (1800).
I *Campanula hybrida* L.
II III *Specularia hybrida* A.DC.

248 **WAHLENBERGIA** Schrad.
**hederacea** H. G. L. Reichenbach Iconogr. Bot. v. 47 (1827).
I *Campanula hederacea* L.
III *Cervicina hederacea* Druce.

## XLIV. ERICACEÆ

249 **ARBUTUS** L.
**Unedo** L. Sp. Pl. 395 (1753).

250 **ARCTOSTAPHYLOS** Adans.
**alpina** Sprengel Syst. ii. 287 (1825).
**Uva-ursi** Sprengel l. c.

251 **ANDROMEDA** L.
**Polifolia** L. Sp. Pl. 393 (1753).

252 **CALLUNA** Salisb.
**vulgaris** Hull Brit. Fl. ed. 2, i. 114 (1808).
III *C. Erica* DC.

253 **ERICA** L.
**Tetralix** L. Sp. Pl. 353 (1753).
**Mackayi** Hooker in Comp. Bot. Mag. i. 158 (1835).
I II under *Tetralix*.
**cinerea** L. Sp. Pl. 352 (1753).
**ciliaris** L. Sp. Pl. 354 (1753).
**mediterranea** L. Mant. 229 (1771).
I *carnea* L.
**vagans** L. Mant. 230 (1771).

254 **BRYANTHUS** S. G. Gmel.
**coeruleus** Dippel Handb. Laubholzk. i. 385 (1889).
I *Menziesia coerulea* Sm.
II *Phyllodoce coerulea* Bab.
III *B. taxifolius* A. Gray.

255 **DABOECIA** D. Don.
**cantabrica** *comb. nov.*
I II *Menziesia polifolia* Sm.
III *Boretta cantabrica* O. K.

256 **AZALEA** L.
**procumbens** L. Sp. Pl. 151 (1753).
I II *Loiseleuria procumbens* Desv.

257 **VACCINIUM** L.
**Myrtillus** L. Sp. Pl. 349 (1753).
**uliginosum** L. Sp. Pl. 350 (1753).
**Vitis-idaea** L. Sp. Pl. 351 (1753).
**Oxycoccos** L. Sp. Pl. 351 (1753).

258 **PYROLA** L.
**rotundifolia** L. Sp. Pl. 396 (1753).
**media** Swartz in Vet. Acad. Handl. xxv. 263 (1804).
**minor** L. Sp. Pl. 281 (1753).
**secunda** L. Sp. Pl. 396 (1753).

259 **MONESES** Salisb.
**uniflora** A. Gray Man. Bot. N. U. S. 273 (1848).
i ii *Pyrola uniflora* L.
iii *grandiflora* A. Gray.

260 **MONOTROPA** L.
**Hypopitys** L. Sp. Pl. 387 (1753).
ii *Hypopithys multiflora* Scop.

## XLV. PRIMULACEÆ

261 **HOTTONIA** L.
**palustris** L. Sp. Pl. 145 (1753).

262 **PRIMULA** L.
**veris** L. Sp. Pl. 142 (1753).
**elatior** Jacquin Miscell. i. 158 (1778).
i under *veris*.
**acaulis** L. Fl. Angl. 12 (1754).
i under *veris*,
ii *vulgaris* Huds.
**farinosa** L. Sp. Pl. 143 (1753).
**scotica** Hooker Fl. Lond. t. 133 (1821).
i under *farinosa*.

263 *CYCLAMEN* L.
*hederifolium* Aiton Hort. Kew. i. 196 (1789).
i *curvatum* Sm.

264 **LYSIMACHIA** L.
**thyrsiflora** L. Sp. Pl. (1753).
**vulgaris** L. Sp. Pl. 146 (1753).
*ciliata* L. Sp. Pl. 147 (1753).
**Nummularia** L. Sp. Pl. 148 (1753).
**nemorum** L. Sp. Pl. 148 (1753).

265 **TRIENTALIS** L.
**europaea** L. Sp. Pl. 344 (1753).

266 **GLAUX** L.
**maritima** L. Sp. Pl. 207 (1753).

267 **ANAGALLIS** L.
**arvensis** L. Sp. Pl. 148 (1753).
**tenella** L. Mant. 335 (1771).

268 **CENTUNCULUS** L.
**minimus** L. Sp. Pl. 116 (1753).

269 **SAMOLUS** L.
**Valerandi** L. Sp. Pl. 171 (1753).

## XLVI. LENTIBULARIACEÆ

270 **PINGUICULA** L.
**vulgaris** L. Sp. Pl. 17 (1753).
**grandiflora** Lamarck Encycl. iii. 22 (1789).
i ii under *vulgaris*.
**alpina** L. Sp. Pl. 17 (1753).
**lusitanica** L. Sp. Pl. 17 (1753).

271 **UTRICULARIA** L.
**vulgaris** L. Sp. Pl. 18 (1753).
**major** Schmidel Ic. Pl. 80, t. xxi (1762).
i ii under *vulgaris* as *neglecta* Lehm.
**intermedia** Hayne in Schrad. Journ. 1800, 18 (1801).
**minor** L. Sp. Pl. 18 (1753).

## XLVII. OLEACEÆ

272 **LIGUSTRUM** L.
**vulgare** L. Sp. Pl. 7 (1753).

273 **FRAXINUS** L.
**excelsior** L. Sp. Pl. 1057 (1753).

## XLVIII. APOCYNACEÆ

274 **VINCA** L.
**minor** L. Sp. Pl. 209 (1753).

## XLIX. GENTIANACEÆ

275 **BLACKSTONIA** Huds.
**perfoliata** Hudson Fl. Angl. 146 (1762).
i ii *Chlora perfoliata* L.

276 **CENTAURION** Gilib.
**minus** Mœnch Method. 449 (1794).
I II III *Erythraea Centaurium* Pers.
I II include all here.
**pulchellum** Druce Fl. Oxf. 342 (1897).
III *E. ramosissima* Pers.
**vulgare** Rafn Danm. Fl. 73 (1800).
III *E. littoralis* Fries.
**capitatum** *comb. nov.*
III *E. capitata* Willd.

277 **CICENDIA** Adans.
**filiformis** Delarbre Fl. Auvergne, ed. 2, 29 (1800).
I II *pusilla* Griseb.

278 **GENTIANA** L.
**Amarella** L. Sp. Pl. 230 (1753).
**germanica** Willdenow Sp. Pl. i. 1346 (1797).
I II III under *Amarella*.
**campestris** L. Sp. Pl. 231 (1753).
**nivalis** L. Sp. Pl. 229 (1753).
**verna** L. Sp. Pl. 228 (1753).
**Pneumonanthe** L. Sp. Pl. 228 (1753).

279 **NYMPHOIDES** Medic.
**peltatum** *comb. nov.*
I *Limnanthemum nymphaeoides* Link.
II III *L. peltatum* Gmel.

280 **MENYANTHES** L.
**trifoliata** L. Sp. Pl. 145 (1753).

## L. POLEMONIACEÆ

281 **POLEMONIUM** L.
**coeruleum** L. Sp. Pl. 162 (1753).

## LI. CONVOLVULACEÆ

282 **CONVOLVULUS** L.
**arvensis** L. Sp. Pl. 153 (1753).
**sepium** L. Sp. Pl. 153 (1753).
**Soldanella** L. Sp. Pl. 159 (1753).

283 **CUSCUTA** L.
**europaea** L. Sp. Pl. 124 (1753).
**Epithymum** Murray Syst. 173 (1797).
*Trifolii* Babington in Phytol. i. 467 (1843).
I II under *Epithymum*.

## LII. BORAGINACEÆ

284 *ASPERUGO* L.
*procumbens* L. Sp. Pl. 138 (1753).

285 **CYNOGLOSSUM** L.
**officinale** L. Sp. Pl. 134 (1753).
**montanum** L. Demonstr. Pl. Hort. Ups. 5 (1753).

286 *BORAGO* L.
*officinalis* Sp. Pl. 137 (1753).

287 *ANCHUSA* L.
*sempervirens* L. Sp. Pl. 134 (1753).

288 **LYCOPSIS** L.
**arvensis** L. Sp. Pl. 139 (1753).
II *Anchusa arvensis* Bieb.

289 **SYMPHYTUM** L.
**officinale** L. Sp. Pl. 136 (1753).
**tuberosum** L. Sp. Pl. 136 (1753).

290 **ECHIUM** L.
**vulgare** L. Sp. Pl. 139 (1753).
**plantagineum** L. Mant. 202 (1771).

291 **PULMONARIA** L.
**angustifolia** L. Sp. Pl. 135 (1753).
I under *officinalis* L.

292 **MERTENSIA** Roth.
**maritima** S. F. Gray Nat. Arr. ii. 354 (1821).
III *Pneumaria maritima* Hill.

293 **LITHOSPERMUM** L.
**officinale** L. Sp. Pl. 132 (1753).
**purpureo-coeruleum** L. Sp. Pl. 132 (1753).
**arvense** L. Sp. Pl. 132 (1753).

294 **MYOSOTIS** L.
**scorpioides** L. Sp. Pl. 131 (1753).
I II *palustris* With.
**repens** G. & D. Don ex Hook. Fl. Scot. 67 (1821).
I II under *palustris*.
**caespitosa** K. F. Schultz Prodr. Fl. Starg. Suppl. i. 11 (1819).
I under *palustris*.
**sylvatica** G. F. Hoffmann Deutschl. Fl. 61 (1791).
**pyrenaica** Pourret in Mém. Acad. Toul. iii. 322 (1788).
I II under *sylvatica*,
III *alpestris*.

294 **MYOSOTIS** *continued.*

**arvensis** Hill Veg. Syst. vii. 55 (1764).

**collina** C. F. Hoffmann Deutschl. Fl. 61 (1791).

**versicolor** Sm. Engl. Bot. t. 480 (1813).

## LIII. SOLANACEÆ

295 **SOLANUM** L.

**nigrum** L. Sp. Pl. 186 (1753).

**Dulcamara** L. Sp. Pl. 185 (1753).

296 **ATROPA** L.

**Belladonna** L. Sp. Pl. 181 (1753).

297 **HYOSCYAMUS** L.

**niger** L. Sp. Pl. 179 (1753).

298 *LYCIUM* L.

*chinense* Miller Gard. Dict. ed. 8, n. 5 (1768).

i ii *barbarum* L.

## LIV. OROBANCHACEÆ

299 **OROBANCHE** L.

**major** L. Sp. Pl. 632 (1753).

**rubra** Smith Eng. Bot. t. 1786 (1807).

**caryophyllacea** Smith in Trans. Linn. Soc. iv. 169 (1798).

**elatior** Sutton in Trans. Linn. Soc. iv. 178 (1798).

**minor** Smith Eng. Bot. t. 422 (1797).

**Picridis** F. W. Schultz in Ann. Gewächs. Regensb. v. 504 (1830).

i ii under *minor*.

**Hederae** Duby Bot. Gall. i. 350 (1828).

i ii under *minor*.

**amethystea** Thuillier Fl. Paris, ed. 2, 317 (1799).

i ii under *minor*.

**purpurea** Jacquin Enum. Stirp. Vindob. 108 (1762).

i ii *coerulea* Vill.

300 **LATHRAEA** L.

**Squamaria** L. Sp. Pl. 606 (1753).

## LV. SCROPHULARIACEÆ

301 **VERBASCUM** L.

**Thapsus** L. Sp. Pl. 177 (1753).

**Lychnitis** L. Sp. Pl. 177 (1753).

**pulverulentum** Villars Prosp. 22 (1779).

**nigrum** L. Sp. Pl. 178 (1753).

**Blattaria** L. Sp. Pl. 178 (1753).

**virgatum** Stokes in With. Arr. Brit. Pl. i. 227 (1787).

ii under *Blattaria*.

302 *ERINUS* L.

*alpinus* L. Sp. Pl. 630 (1753).

303 **DIGITALIS** L.

**purpurea** L. Sp. Pl. 621 (1753).

304 **ANTIRRHINUM** L.

*majus* L. Sp. Pl. 617 (1753).

**Orontium** L. Sp. Pl. 617 (1753).

305 **LINARIA** Hill.

*Cymbalaria* Miller Gard. Dict. ed. 8, n. 17 (1768).

**Elatine** Miller Gard. Dict. ed. 8, n. 16 (1768).

**spuria** Miller Gard. Dict. ed. 8, n. 15 (1768).

**minor** Desfontaines Fl. Atlant. ii. 46 (1798).

iii *viscida* Moench.

*supina* Desfontaines Fl. Atlant. ii. 44 (1798).

**repens** Miller Gard. Dict. ed. 8, n. 6 (1768).

**vulgaris** Miller Gard. Dict. ed. 8, n. 1 (1768).

306 **SCROPHULARIA** L.

**nodosa** L. Sp. Pl. 619 (1753).

**aquatica** L. Sp. Pl. 620 (1753).

**umbrosa** Dumortier Fl. Belg. Prod. 37 (1827).

i under *aquatica* as *Ehrhartii*.

ii under *aquatica*.

**Scorodonia** L. Sp. Pl. 620 (1753).

*vernalis* L. Sp. Pl. 620 (1753).

307 **LIMOSELLA** L.

**aquatica** L. Sp. Pl. 631 (1753).

308 **MELAMPYRUM.**
**cristatum** L. Sp. Pl. 605 (1753).
**arvense** L. Sp. Pl. 605 (1753).
**pratense** L. Sp. Pl. 605 (1753).
**sylvaticum** L. Sp. Pl. 605 (1753).

309 ***MIMULUS*** L.
*Langsdorfii* Donn ex Sims Bot. Mag. t. 1501 (1812).
I II *luteus* L.

310 **PEDICULARIS** L.
**palustris** L. Sp. Pl. 607 (1753).
**sylvatica** L. Sp. Pl. 607 (1753).

311 **RHINANTHUS** L.
**Crista-galli** L. Sp. Pl. 603 (1753).
**major** Ehrhart Beitr. vi. 144 (1791).
I II under *Crista-galli*.

312 **BARTSIA** L.
**alpina** L. Sp. Pl. 602 (1753).

313 **LASIOPERA** Hoffm. & Link.
**viscosa** Hoffmansegg & Link Fl. Portug. i. 301 (1809).
I II *Bartsia viscosa* L.
III *Eufragia viscosa* Benth.

314 **EUPHRASIA** L. (See Preface.)
**officinalis** L. Sp. Pl. 604 (1753).
**salisburgensis** Funck in Hoppe Bot. Taschenb. 1794, 190.

315 **ODONTITES** Haller.
**rubra** Gilibert Fl. Lithuan. i. 126 (1781).
I II *Bartsia Odontites* Huds.

316 **SIBTHORPIA** L.
**europaea** L. Sp. Pl. 631 (1753).

317 **VERONICA** L.
1 **scutellata** L. Sp. Pl. 12 (1753).
2 **Anagallis-aquatica** L. Sp. Pl. 12 (1753).
I II III *Anagallis*.
3 **Beccabunga** L. Sp. Pl. 12 (1753).
4 **Chamaedrys** L. Sp. Pl. 13 (1753).
5 **montana** L. Cent. Plant. i. 3 (1755).
6 **officinalis** L. Sp. Pl. 11 (1753).
7 **spicata** L. Sp. Pl. 10 (1753).
8 **fruticans** Jacquin Enum. Stirp. Vindob. 2 (1762).
I II *saxatilis* L.
9 **alpina** L. Sp. Pl. 11 (1753).
10 **serpyllifolia** L. Sp. Pl. 12 (1753).
11 **arvensis** L. Sp. Pl. 13 (1753).
12 **verna** L. Sp. Pl. 14 (1753).
13 **triphyllos** L. Sp. Pl. 14 (1753).
14 **agrestis** L. Sp. Pl. 13 (1753).
15 **didyma** Tenore Prodr. Fl. Nap. vi. (1811).
I II under *agrestiis* as *polita* Fries.
16 *Buxbaumii* Tenore Fl. Napolit. i. 7 (1811–15).
III *Tournefortii* C. Gmel.
17 **hederifolia** L. Sp. Pl. 13 (1753).

## LVI. LABIATÆ

318 **MENTHA** L.
1 **spicata** L. Sp. Pl. 576 (1753); Hudson Fl. Angl. 221 (1762).
I II *viridis* L.
2 **rotundifolia** Hudson l.c.
3 **longifolia** Hudson l.c.
I II *sylvestris* L.
4 **alopecuroides** Hull Brit. Flora, 126 (1799).
II under *sylvestris*.
5 **piperita** L. Sp. Pl. 576 (1753).
6 **aquatica** L. Sp. Pl. 576 (1753).
7 **pubescens** Willdenow Enum. Hort. Berol. 608 (1809).
I II under *aquatica*.
8 **gentilis** L. Sp. Pl. 577 (1753).
I II III *sativa* L.
9 **arvensis** L. Sp. Pl. 577 (1753).
10 **Pulegium** L. Sp. Pl. 577 (1753).

319 **LYCOPUS** L.
**europaeus** L. Sp. Pl. 21 (1753).

320 **SALVIA** L.
**Verbenaca** L. Sp. Pl. 25 (1753).
*verticillata* L. Sp. Pl. 26 (1753).
**pratensis** L. Sp. Pl. 25 (1753).

321 **ORIGANUM** L.
**vulgare** L. Sp. Pl. 590 (1753).

322 **THYMUS** L.
**Serpyllum** L. Sp. Pl. 590 (1753).
**Chamaedrys** Fries Novit. Fl. Suec. 35 (1814).
I II under *Serpyllum*.

323 **CLINOPODIUM** L.

**Calamintha** O. Kuntze Rev. Gen. 515 (1891).

I II *Cal. officinalis* Moench.

**Nepeta** O. Kuntze Rev. Gen. 515 (1891).

I II under *Calamintha officinalis* as *C. Nepeta* Clairv.

**grandiflorum** O. Kuntze Rev. Gen. 551 (1891).

I II under *Calamintha officinalis* as *C. sylvatica* Bromf.

**Acinos** O. Kuntze Rev. Gen. 513 (1891).

I II *Calamintha Acinos* Clairv.

**vulgare** L. Sp. Pl. 587 (1753).

I II *Cal. Clinopodium* Benth.

324 *MELISSA* L.

*officinalis* L. Sp. Pl. 592 (1753).

325 **SCUTELLARIA** L.

**galericulata** L. Sp. Pl 599 (1753).

**minor** Hudson Fl. Angl. 233 (1762).

326 **PRUNELLA** L.

**vulgaris** L. Sp. Pl. 600 (1753).

**laciniata** L. Sp. Pl. ed. 2, 837 (1763).

I II III not included.

327 **NEPETA** L.

**Cataria** L. Sp. Pl. 570 (1753).

**hederacea** Trevisan Fl. Eugan. 26 (1842).

I II III *N. Glechoma* Benth.

328 **MELITTIS** L.

**Melissophyllum** L. Sp. Pl. 597 (1753).

329 **LAMIUM** L.

**amplexicaule** L. Sp. Pl. 579 (1753).

**moluccellifolium** Fries Nov. Fl. Suec. 72 (1819).

I under *amplexicaule* as *intermedium* Fr.

II III *intermedium* Fries.

**purpureum** L. Sp. Pl. 579 (1753).

**hybridum** Villars Hist. Pl. Dauph. i. 251 (1786).

I II under *purpureum* II as *incisum* Willd.).

**album** L. Sp. Pl. 579 (1753).

**Galeobdolon** Crantz Stirp. Austr. ed. 2, 262 (1769).

330 **GALEOPSIS** L.

**dubia** Leers Fl. Herborn. 151 (1775).

I *ochroleuca* Lam.

**Ladanum** L. Sp. Pl. 579 (1753).

**Tetrahit** L. Sp. Pl. 579 (1753).

**speciosa** Miller Gard. Dict. ed. 8, n. 3 (1768).

I II under *Tetrahit* II as *versicolor* Curt.).

331 **STACHYS** L.

**officinalis** Franchet Fl. Loire-et-Cher, 483 (1885).

I II III *Betonica* Benth.

**germanica** L. Sp. Pl. 581 (1753).

**alpina** L. Sp. Pl. 581 (1753).

I II not included.

**sylvatica** L. Sp. Pl. 580 (1753).

**palustris** L. Sp. Pl. 580 (1753).

**arvensis** L. Sp. Pl. ed. 2, 814 (1763).

332 **BALLOTA** L.

**nigra** L. Sp. Pl. 582 (1753).

**ruderalis** Swartz Svensk Bot. t. 389 (1809).

I II under *nigra*.

333 **MARRUBIUM** L.

**vulgare** L. Sp. Pl. 583 (1753).

334 **TEUCRIUM** L.

**Scorodonia** L. Sp. Pl. 564 (1753).

**Scordium** L. Sp. Pl. 565 (1753).

*Chamaedrys* L. Sp. Pl. 565 (1753).

**Botrys** L. Sp. Pl. 562 (1753).

335 **AJUGA** L.

**reptans** L. Sp. Pl. 561 (1753).

**pyramidalis** L. Sp. Pl. 571 (1753).

I II under *genevensis* L.

**Chamaepitys** Schreber Fl. Vercell. Unilab. xxiii. (1773).

## LVII. VERBENACEÆ

336 **VERBENA** L.

**officinalis** L. Sp. Pl. 20 (1753).

## LVIII. PLUMBAGINACEÆ

337 **LIMONIUM** Mill.

**vulgare** Miller Dict. ed. 8, n. 1 (1768).

I II *Statice Limonium* L.

337 **LIMONIUM**—*continued.*

**humile** Miller Dict. ed. 8, n. 4 (1768).
I II under *S. Limonium* as *S. rariflora* Drejer.

**recurvum** C. E. Salmon in Journ. Bot. xli 67 (1903).
I II under *S. auriculaefolia* Vahl as *S. Dodartii* Gir.

**binervosum** C. E. Salmon in Journ. Bot. xlv. 24 (1907).
I II *S. auriculifolia* Vahl.
III *L. occidentale* O. Kuntze.

**reticulatum** Miller Dict. ed. 8, n. 9 (1768).
I *S. reticulata* L.
II *S. belludifolia* Gouan.

338 **STATICE** L.

**Armeria** L. Sp. Pl. 274 (1753).
I II *Armeria vulgaris* W.
III *S. maritima* Mill.

## LIX. PLANTAGINACEÆ

339 **PLANTAGO** L.

**Coronopus** L. Sp. Pl. 115 (1753).

**maritima** L. Sp. Pl. 114 (1753).

**lanceolata** L. Sp. Pl. 113 (1753).

**media** L. Sp. Pl. 113 (1753).

**major** L. Sp. Pl. 112 (1753).

340 **LITTORELLA** Berg.

**uniflora** Ascherson Fl. Brandenb. 544 (1864).
I II *lacustris* L.
III *juncea* Berg.

## LX. ILLECEBRACEÆ

341 **CORRIGIOLA** L.

**littoralis** L. Sp. Pl. 271 (1753).

342 **HERNIARIA** L.

**glabra** L. Sp. Pl. 218 (1753).

**ciliata** Babington in Trans. Linn. Soc. xvii. 453 (1836).
I II under *glabra.*

343 **ILLECEBRUM** L.

**verticillatum** L. Sp. Pl. 206 (1753).

## LXI. CHENOPODIACEÆ

344 **SUAEDA** Forsk.

**fruticosa** Forskål Fl. Ægypt.-Arab. 70 (1775).
III *Lerchia obtusifolia* Steud.

**maritima** Dumortier Prodr. Fl. Belg. 22 (1827).
III *L. maritima* O. Kuntze.

345 **SALSOLA** L.

**Kali** L. Sp. Pl. 222 (1753).

346 **CHENOPODIUM** L.

1 **Vulvaria** L. Sp. Pl. 220 (1753).

2 **polyspermum** L. Sp. Pl. 220 (1753).

3 **urbicum** L. Sp. Pl. 218 (1753).

4 **album** L. Sp. Pl. 219 (1753).

5 **serotinum** L. Cent. Pl. ii. 12 (1756).
I under *album* as *ficifolium* Sm.
II III *ficifolium.*

6 **murale** L. Sp. Pl. 219 (1753).

7 **hybridum** L. Sp. Pl. 219 (1753).

8 **rubrum** L. Sp. Pl. 218 (1753).

9 **botryodes** Smith Eng. Bot. t. 2247 (1811).
I II under *rubrum.*

10 **glaucum** L. Sp. Pl. 220 (1753).

11 **Bonus-Henricus** L. Sp. Pl. 218 (1753).

347 **BETA** L.

**maritima** L. Sp. Pl. ed. 2, 322 (1762).

348 **SALICORNIA** L.

**europaea** L. Sp. Pl. 3 (1753).
I II III *herbacea* L.

**radicans** Smith Eng. Bot. t. 1691 (1807).

349 **ATRIPLEX** L.

1 **littoralis** L. Sp. Pl. 1054 (1753).
I under *patula.*

2 **patula** L. Sp. Pl. 1053 (1753).
III *angustifolia* Sm.

3 **deltoidea** Babington Prim. Fl. Sarn. 82 (1839).
I II include 3–5 under *patula.*

4 **hastata** L. Sp Pl. 1053 (1753).

5 **Babingtonii** Woods Tourist's Fl. 316 (1850).

6 **laciniata** L. Sp. Pl. 1053 (1753).
I *rosea* L.

350 **OBIONE** Gaertn.

**pedunculata** Moquin Chenopod. 75 (1840).
I II *Atriplex pedunculata* L.

**portulacoides** Moquin l.c.
I II *A. portulacoides* L.

## LXII. POLYGONACEÆ

351 **RUMEX** L.

1 **maritimus** L. Sp. Pl. 335 (1753).

2 **limosus** Thuill. Fl. Paris, ed. 2, 182 (1799).

I II under *maritimus* as *palustris* Sm.

3 **conglomeratus** Murray Prodr. Stirp. Gotting. 52 (1770).

4 **rupestris** Le Gall in Congr. Scient. France xvi. sess. i. 143 (1850).

I II under *conglomeratus*.

5 **sanguineus** L. Sp. Pl. 334 (1753).

6 **pulcher** L. Sp. Pl. 336 (1753).

7 **obtusifolius** L. Sp. Pl. 335 (1753).

8 **crispus** L. Sp. Pl. 335 (1753).

9 **acutus** L. Sp. Pl. 335 (1753).

I under *crispus*.

10 **aquaticus** L. Sp. Pl. 336 (1753).

11 **Hydrolapathum** Hudson Fl. Angl. ed. 2, 154.

12 **maximus** Schreber in Schweigg. & Korte Fl. Erlang. 152 (1811).

I II under *Hydrolapathum*.

13 *alpinus* L. Sp. Pl. 334 (1753).

14 **Acetosa** L. Sp. Pl. 337 (1753).

15 **Acetosella** L. Sp. Pl. 338 (1753).

16 *scutatus* L. Sp. Pl. 337 (1753).

352 **OXYRIA** Hill.

**digyna** Hill Hort. Kew. 158 (1769).

I *reniformis* Hook.

353 **POLYGONUM** L.

1 **Bistorta** L. Sp. Pl. 360 (1753).

2 **viviparum** L. Sp. Pl. 360 (1753).

3 **amphibium** L. Sp. Pl. 361 (1753).

4 **lapathifolium** L. Sp. Pl. 360 (1753).

5 **maculatum** Babington Man. ed. 7, 301 (1874).

II under *lapathifolium*.

6 **Persicaria** L. Sp. Pl. 361 (1753).

7 **Hydropiper** L. Sp. Pl. 361 (1753).

8 **minus** Hudson Fl. Angl. 148 (1762).

9 **mite** Schrank Baiersche Fl. i. 668 (1789).

I under *minus*.

10 **aviculare** L. Sp. Pl. 362 (1753).

11 **Roberti** Lesueur Nouv. Not. 17 (1827).

I under *maritimum*.
II under *aviculare*.
III *Rub* Bab.

12 **maritimum** L. Sp. Pl. 360 (1753).

13 **Convolvulus** L. Sp. Pl. 364 (1753).

14 **dumetorum** L. Sp. Pl. ed. 2, 522 (1762).

## LXIII. ELÆAGNACEÆ

354 **HIPPOPHAE** L.

**Rhamnoides** L. Sp. Pl. 1023 (1753).

## LXIV. THYMELÆACEÆ

355 **DAPHNE** L.

**Mezereum** L. Sp. Pl. 356 (1753).

**Laureola** L. Sp. Pl. 357 (1753).

## LXV. SANTALACEÆ

356 **THESIUM** L.

**humifusum** DC. Fl. France, v. 366 (1815).

I II *linophyllum* L.

## LXVI. ARISTOLOCHIACEÆ

357 **ASARUM** L.

**europaeum** L. Sp. Pl. 442 (1753).

## LXVII. EMPETRACEÆ

358 **EMPETRUM** L.

**nigrum** L. Sp. Pl. 1022 (1753).

## LXVIII. EUPHORBIACEÆ

359 **BUXUS** L.

**sempervirens** L. Sp. Pl. 983 (1753).

360 **EUPHORBIA** L.

1 **Peplis** L. Sp. Pl. 455 (1753).

2 **Helioscopia** L. Sp. Pl. 459 (1753).

3 **platyphyllos** L. Sp. Pl. 460 (1753).

4 **stricta** L. Syst. ed. 10. 1049 (1759).

I II under *platyphyllos*.

5 *dulcis* L. Sp. Pl. 457 (1753).

360 **EUPHORBIA**—*continued.*
6 **hiberna** L. Sp. Pl. 462 (1753).
7 **pilosa** L. Sp. Pl. 460 (1753).
8 **amygdaloides** L. Sp. Pl. 463 (1753).
9 **Esula** L. Sp. Pl. 461 (1753).
10 **Paralias** L. Sp. Pl. 458 (1753).
11 **portlandica** L. Sp. Pl. 458 (1753).
I *segetalis* L.
12 **Peplus** L. Sp. Pl. 456 (1753).
13 **exigua** L. Sp. Pl. 456 (1753).
14 **Lathyrus** L. Sp. Pl. 457 (1753).
I II *Lathyris*.

361 **MERCURIALIS** L.
**perennis** L. Sp. Pl. 1035 (1753).
**annua** L. Sp. Pl. 1035 (1753).

## LXIX. CERATOPHYLLACEÆ

362 **CERATOPHYLLUM** L.
**demersum** L. Sp. Pl. 992 (1753).
**submersum** L. Sp. Pl. ed. 2, 1409 (1763).
I II under *demersum*.

## LXX. CALLITRICHACEÆ

363 **CALLITRICHE** L.
1 **palustris** L. Sp. Pl. 969 (1753).
I *aquatica* Sm. includes all,
II *verna* L. which includes 2–5,
III *vernalis* Koch.
2 **obtusangula** Le Gall Fl. Morbihan, 202 (1852).
3 **polymorpha** Lönnroth Obs. Crit. 19 (1854).
4 **stagnalis** Scopoli Fl. Carn. ed. 2, ii. 251 (1772).
5 **intermedia** G. F. Hoffmann Deutschl. Fl. (1791), 2.
6 **autumnalis** L. Fl. Suec. ed. 2, 2 (1755).
7 **truncata** Gussone Pl. Rar. 4 (1826).
II under *autumnalis*.

## LXXI. URTICACEÆ

364 **PARIETARIA** L.
**ramiflora** Moench Method. 327 (1794).
I II *officinalis* L.

365 **URTICA** L.
**pilulifera** L. Sp. Pl. 983 (1753).
**urens** L. Sp. Pl. 984 (1753).
**dioica** L. Sp. Pl. 984 (1753).

366 **HUMULUS** L.
**Lupulus** L. Sp. Pl. 1028 (1753).

## LXXII. ULMACEÆ

367 **ULMUS** L.
**campestris** L. Sp. Pl. 225 (1753).
**glabra** Hudson Fl. Angl. 95 (1762).
I II *montana* Sm.

## LXXIII. AMENTACEÆ

368 **SALIX** L. (See Preface.)
1 **triandra** L. Sp. Pl. 1016 (1753).
I *amygdalina* L.
2 **pentandra** L. Sp. Pl. 1016 (1753)
3 **fragilis** L. Sp. Pl. 1017 (1753).
4 **alba** L. Sp. Pl. 1021 (1753).
5 **cinerea** L. Sp. Pl. 1021 (1753).
I II under *caprea*.
6 **aurita** L. Sp. Pl. 1019 (1753).
7 **caprea** L. Sp. Pl. 1020 (1753).
8 **repens** L. Sp. Pl. 1020 (1753).
9 **phylicifolia** L. Sp. Pl. 1016 (1753).
10 **arbuscula** L. Sp. Pl. 1018 (1753).
I under *myrsinites*.
11 **viminalis** L. Sp. Pl. 1021 (1753).
12 **lanata** L. Sp. Pl. 1019 (1753).
13 **lapponum** L. Sp. Pl. 1019 (1753).
14 **myrsinites** L. Sp. Pl. 1018 (1753).
15 **herbacea** L. Sp. Pl. 1018 (1753).
16 **reticulata** L. Sp. Pl. 1018 (1753).
17 **purpurea** L. Sp. Pl. 1017 (1753).

369 **POPULUS** L.
**alba** L. Sp. Pl. 1034 (1753).
**canescens** Smith Fl. Brit. iii. 1080 (1804).
I II under *alba*.
**tremula** L. Sp. Pl. 1034 (1753).
**nigra** L. Sp. Pl. 1034 (1753).

370 **MYRICA** L.
**Gale** L. Sp. Pl. 1024 (1753)

371 **BETULA** L.
**alba** L. Sp. Pl. 982 (1753).
**verrucosa** Ehrhart Beitr. vi. 98 (1791).
I not included, II under *alba*.
**nana** L. Sp. Pl. 983 (1753).

372 **ALNUS** Mill.
**glutinosa** Gaertner Fruct. ii. 54 (1791).

373 **FAGUS** L.
**sylvatica** L. Sp. Pl. 998 (1753).

374 **QUERCUS** L.
**Robur** L. Sp. Pl. 996 (1753).

375 **CORYLUS** L.
**Avellana** L. Sp. Pl. 998 (1753).

376 **CARPINUS** L.
**Betulus** L. Sp. Pl. 998 (1753).

## LXXIV. CONIFERÆ

377 **TAXUS** L.
**baccata** L. Sp. Pl. 1040 (1753).

378 **JUNIPERUS** L.
**communis** L. Sp. Pl. 1040 (1753).
**sibirica** Burgsdorf Anleit. ii. 124 (1787).
I II III *nana* Willd.
(I II under *communis*.)

379 **PINUS** L.
**sylvestris** L. Sp. Pl. 1000 (1753).

## LXXV. TYPHACEÆ

380 **TYPHA** L.
**latifolia** L. Sp. Pl. 971 (1753).
**angustifolia** L. Sp. Pl. 971 (1753).

381 **SPARGANIUM** L.
**erectum** L. Sp. Pl. 971 (1753).
I II *ramosum* Huds.
**neglectum** Beeby in Journ. Bot. xxiii. 26 (1885).
I II not included.
**simplex** Hudson Fl. Anglica, ed. 2, 401 (1778).
**natans** L. Sp. Pl. 971 (1753).
I under *simplex*.
**minimum** Fries Summ. Veg. Scand. 560 (1849).
II under *natans*.

## LXXVI. ARACEÆ

382 **ACORUS** L.
**Calamus** L. Sp. Pl. 321 (1753).

383 **ARUM** L.
**maculatum** L. Sp. Pl. 966 (1753).
**italicum** Miller Gard. Dict. ed. 8, n. 2 (1768).

## LXXVII. LEMNACEÆ

384 **LEMNA** L.
**trisulca** L. Sp. Pl. 970 (1753).
**minor** L. Sp. Pl. 970 (1753).
**gibba** L. Sp. Pl. 970 (1753).
**polyrrhiza** L. Sp. Pl. 970 (1753).

385 **WOLFFIA** Horkel.
**arrhiza** Wimmer Fl. Schles. ed. 3, 140 (1857).
I *Lemna arrhiza* L.
III *W. Michelii* Schleid.

## LXXVIII. NAIADACEÆ

386 **POTAMOGETON** L.
1 **natans** L. Sp. Pl. 126 (1753).
2 **polygonifolius** Pourret in Mém. Acad. Toulouse, iii. 325 (1788).
I under *natans*.
3 **Drucei** Fryer Potamog. 31 (1898); Journ. Bot. xxxvii. 524 (1899).
I II not included.
4 **coloratus** Hornemann in Fl. Dan. ix. 4 (1813).
I under *natans* as *plantagineus*,
II *plantagineus* De Cand.
5 **alpinus** Balbis in Mém. Acad. Turin, xii. 329 (1802–3).
I under *lucens* as *rufescens*,
II *rufescens* Schrader.
6 **lanceolatus** Smith Eng. Bot. t. 1935 (1809).
I under *lucens*.
7 **sparganifolius** Laestadius ex Fries Mant. i. 9 (1832).
I not included, II *Kirkii* Syme.
8 **gramineus** L. Sp. Pl. 127 (1753).
I not included,
II *nodosus* Wolff.
9 **heterophyllus** Schreber Spic. Fl. Lips. 21 (1771).

**386 POTAMOGETON**—*continued.*

10 **nitens** Weber Supp. Fl. Holsat. n. 11 (1787).
I not included,
II under *heterophyllus*.

11 **falcatus** Fryer in Journ. Bot. xxvii. 65 (1889).
I II not included.

12 **varians** Morong ex Fryer in Journ. Bot. xxvii. 33 (1889).
I II not included.

13 **lucens** L. Sp. Pl. 126 (1753).

14 **Zizii** Koch ex Roth Enum. Pl. Germ. 531 (1827).
I not included,
II under *lucens*.

15 **praelongus** Wulfen in Roem. Archiv, iii. 331 (1805).

16 **perfoliatus** L. Sp. Pl. 126 (1753).

17 **crispus** L. Sp. Pl. 126 (1753).

18 **acutifolius** Link ex Roem. & Schult. Syst. iii. 513 (1818).

19 **compressus** L. Sp. Pl. 127 (1753).
I under *acutifolius*,
II III *zosterifolius* Schumacher.

20 **obtusifolius** Mertens & Koch Deutschl. Fl. i. 855 (1823).

21 **pusillus** L. Sp. Pl. 127 (1753).

22 **Friesii** Ruprecht Beitr. Pfl. Russ. iv. 43 (1845).
I not included,
II under *pusillus*.

23 **rutilus** Wolfgang ex Schult. Mant. iii. 362 (1827).
I II not included.

24 **trichoides** Chamisso & Schlechtendahl in Linnaea, ii. 175 (1827).
I under *pusillus*.

25 **pectinatus** L. Sp. Pl. 127 (1753).

26 **flabellatus** Babington Man. Bot. ed. 3, 343 (1851).
I not included,
II under *pectinatus*.

27 **filiformis** Persoon Syn. i. 152 (1805).
I under *pectinatus*.

28 **densus** L. Sp. Pl. 126 (1753).

**387 RUPPIA** L.

**maritima** L. Sp. Pl. 127 (1753).

**rostellata** Koch in Reichenb. Plant. Crit. cent. ii. 66 (1824).
I II under *maritima*.

**388 ZANNICHELLIA** L.

**palustris** L. Sp. Pl. 969 (1753).

**389 ZOSTERA** L.

**nana** Roth Enum. Pl. Germ. i. 8 (1827).

**marina** L. Sp. Pl. 968 (1753).

**390 NAIAS** L.

**marina** L. Sp. Pl. 1015 (1753).

**flexilis** Rostkovius & Schmid Fl. Sedin. 382 (1824).

**graminea** Delile Fl. Egypt. 282 (1812).

**391 SCHEUCHZERIA** L.

**palustris** L. Sp. Pl. 338 (1753).

**392 TRIGLOCHIN** L.

**maritimum** L. Sp. Pl. 339 (1753).

**palustre** L. Sp. Pl. 338 (1753).

## LXXIX. ALISMACEÆ

**393 ALISMA** L.

**Plantago** L. Sp. Pl. 342 (1753).

**ranunculoides** L. Sp. Pl. 343 (1753).

**natans** L. Sp. Pl. 343 (1753).
II *Elisma natans* Buchenau.

**394 DAMASONIUM** Hill.

**Alisma** Miller Dict. ed. 8, n. 1 (1768).
I II *stellatum* Pers.

**395 SAGITTARIA** L.

**sagittifolia** L. Sp. Pl. 993 (1753).

**396 BUTOMUS** L.

**umbellatus** L. Sp. Pl. 342 (1753).

## LXXX. HYDROCHARIDEÆ

**397 HYDROCHARIS** L.

**Morsus-ranae** L. Sp. Pl. 1036 (1753).

**398 STRATIOTES** L.

**Aloides** L. Sp. Pl. 535 (1753).

**399** *ELODEA* Michx.

*canadensis* F. A. Michaux Fl. Bor. Amer. i. 20 (1803).
III *Anacharis Alsinastrum* Bab.

## LXXXI. ORCHIDACEAE

**400 ORCHIS** L.

1 **morio** L. Sp. Pl. 940 (1753).

2 **mascula** L. Fl. Succ. ed. 2, 310 (1755).

3 **militaris** L. Sp. Pl. 941 (1753).

4 **simia** Lamarck Fl. France, iii. 507 (1778).

I II under *militaris*.

5 **purpurea** Hudson Fl. Angl. 334 (1762).

I under *militaris*.

6 **ustulata** L. Sp. Pl. 941 (1753).

7 **maculata** L. Sp. Pl. 942 (1753).

8 **latifolia** L. Sp. Pl. 941 (1753).

9 **incarnata** L. Fl. Succ. ed. 2, 312 (1755).

I II under *latifolia*.

10 **pyramidalis** L. Sp. Pl. 940 (1753).

11 **hircina** Crantz Stirp. Austr. ed. 2, 485 (1769).

**401 GYMNADENIA** Br.

**conopsea** Brown in Ait. Hort. Kew. ed. 2, v. 191 (1813).

I II *Habenaria conopsea* Benth.

**albida** L.C.Richard Orchid. Europ. 35 (1817).

I II *H. albida* Br.

**402 ACERAS** Br.

**anthropophora** Brown in Ait. Hort. Kew. ed. 2, v. 191 (1813).

**403 NEOTINEA** Reichenb.

**intacta** H. G. Reichenbach Poll. Orchid. 18 (1852).

I II *Hab. intacta* Benth.

**404 HABENARIA** Willd.

**viridis** Brown in Ait. Hort. Kew. ed. 2, v. 192 (1813).

**bifolia** Brown in Ait. Hort. Kew. ed. 2, v. 193 (1813).

**montana** Durand & Schinz Consp. Fl. Afr. v. 82 (1892).

I II under *bifolia* as *chlorantha* Bab. III *chlorolenca* Ridl.

**405 OPHRYS** L.

**apifera** Hudson Fl. Anglica, 340 (1762).

**arachnites** Lamarck Fl. France, iii. 515 (1778).

I II under *apifera*.

**aranifera** Hudson Fl. Angl. ed. 2, 392 (1778).

**muscifera** Hudson Fl. Anglica, 340 (1762).

**406 HERMINIUM** Br.

**Monorchis** Brown in Ait. Hort. Kew. ed. 2, v. 191 (1813).

**407 GOODYERA** Br.

**repens** Brown in Ait. Hort. Kew. ed. 2, v. 198 (1813).

III *Peramium repens* Salisb.

**408 SPIRANTHES** Rich.

**spiralis** C. Koch in Linnaea, xxiv. 290 (1849).

I II III *autumnalis* Rich.

**aestivalis** L. C. Richard Orchid. Europ. 36 (1817).

**Romanzoffiana** Chamisso in Linnaea, iii. 32 (1828).

**409 LISTERA** Br.

**ovata** Brown in Ait. Hort. Kew. ed. 2, v. 201 (1813).

**cordata** Brown in Ait. Hort. Kew. ed. 2, v. 201 (1813).

**410 NEOTTIA** Adans.

**Nidus-avis** L. C. Richard Orchid. Europ. 37 (1817).

**411 EPIPACTIS** Adans.

1 **Helleborine** Crantz Stirp. Austr. ed. 2, 467 (1769).

I II III *latifolia* All.

I II include 2-4.

2 **media** Fries Mant. ii. 54 (1839).

3 **violacea** Boreau Fl. Centr. France, ed. 3, ii. 651 (1857).

4 **atrorubens** J. A. Schultes Oesterr. Fl. ed. 2, i. 58 (1814).

5 **longifolia** Allioni Fl. Pedemont. ii. 152 (1785).

I II III *palustris* Crantz.

**412 CEPHALANTHERA** Rich.

**grandiflora** S. F. Gray Nat. Arr. Brit. Pl. ii. 210 (1821).

I II III *pallens* Rich.

**longifolia** Fritsch in Oesterr. Bot. Zeitschr. xxxviii. 81 (1888).

I II III *ensifolia* Rich.

**rubra** L. C. Richard Orch. Europ. 38 (1817).

413 **EPIPOGUM** S. G. Gmel.
**aphyllum** Swartz Summ. Veg. Scand. 32 (1814).

414 **CORALLORRHIZA** Hall.
**Neottia** Scopoli Fl. Carn. ed 2, ii. 207 (1772).
I II III *innata* Bl.

415 **MALAXIS** Sw.
**paludosa** Swartz in Vet. Akad. Nya Handl. xxi. 235 (1800).

416 **LIPARIS** Rich.
**Loeselii** L. C. Richard Orchid. Europ. 38 (1817).

417 **CYPRIPEDIUM** L.
**Calceolus** L. Sp. Pl. 951 (1753).

## LXXXII. IRIDACEÆ

418 **SISYRINCHIUM** L.
**angustifolium** Miller Dict. ed. 8, n. 2 (1768).
*californicum* Aiton Hort. Kew. ed. 2, iv. 135 (1812).

419 **IRIS** L.
**Pseudacorus** L. Sp. Pl. 38 (1753).
**foetidissima** L. Sp. Pl. 39 (1753).

420 **GLADIOLUS** L.
**illyricus** Koch Syn. 698 (1838).
I II under *communis* L.

421 **ROMULEA** L.
**Columnae** Sebastiani & Mauri Fl. Roman. Prodr. 18 (1818).

422 **CROCUS** L.
**officinalis** Hudson Fl. Angl. ed. 2, 13 (1778).
I II III *vernus* All.
*nudiflorus* Smith Engl. Bot. t. 491 (1798).

## LXXXIII. AMARYLLIDACEÆ

423 **NARCISSUS** L.
*biflorus* Curtis Bot. Mag. t. 197 (1792).
**Pseudonarcissus** L. Sp. Pl. 289 (1753).

424 **LEUCOJUM** L.
**aestivum** L. Syst. ed. 10, 975 (1759).
*vernum* L. Sp. Pl. 289 (1753).

425 **GALANTHUS** L.
**nivalis** L. Sp. Pl. 288 (1753).

## LXXXIV. DIOSCOREACEÆ

426 **TAMUS** L.
**communis** L. Sp. Pl. 1028 (1753).

## LXXXV. LILIACEÆ

427 **PARIS** L.
**quadrifolia** L. Sp. Pl. 367 (1753).

428 **ASPARAGUS** L.
**officinalis** L. Sp. Pl. 313 (1753).

429 **CONVALLARIA** L.
**majalis** L. Sp. Pl. 314 (1753).

430 **POLYGONATUM** Mill.
**verticillatum** Allioni Fl. Pedem. i. 131 (1785).
**officinale** Allioni l.c.
**multiflorum** Allioni l.c.

431 **MAIANTHEMUM** Weber.
**bifolium** DC. Fl. France, iii. 177 (1805).
I II III *M. Convallaria* Web.

432 **RUSCUS** L.
**aculeatus** L. Sp. Pl. 1041 (1753).

433 **TULIPA** L.
**sylvestris** L. Sp. Pl. 305 (1753).

434 **FRITILLARIA** L.
**Meleagris** L. Sp. Pl. 304 (1753).

435 *LILIUM* L.
*Martagon* L. Sp. Pl. 303 (1753).

436 **LLOYDIA** Salisb.
**serotina** H. G. L. Reichenbach Fl. Excurs. 102 (1830).
III *alpina* Salisb.

437 **ORNITHOGALUM** L.
*umbellatum* L. Sp. Pl. 307 (1753).
**pyrenaicum** L. Sp. Pl. 306 (1753).
*nutans* L. Sp. Pl. 308 (1753).

438 **GAGEA** Salisb.
**lutea** Gawler in Bot. Mag. t. 1200 (1809).
III *fascicularis* Salisb.

439 **SCILLA** L.

**autumnalis** L. Sp. Pl. 307 (1753).

**verna** Hudson Fl. Anglica, ed. 2 142 (1778).

440 **ALLIUM** L.

1 *Ampeloprasum* L. Sp. Pl. 294 (1753).

2 **Babingtonii** Borrer in Engl. Bot. Suppl. t. 2936 (1845).

I II under *Ampeloprasum*.

3 **Scorodoprasum** L. Sp. Pl. 297 (1753).

4 **vineale** L. Sp. Pl. 299 (1753).

5 **sphaerocephalum** L. Sp. Pl. 297 (1753).

6 **oleraceum** L. Sp. Pl. 299 (1753).

7 **carinatum** L. Sp. Pl. 297 (1753).

8 **Schoenoprasum** L. Sp. Pl. 301 (1753).

9 *triquetrum* L. Sp. Pl. 300 (1753).

10 **ursinum** L. Sp. Pl. 300 (1753).

441 **SIMETHIS** Kunth.

**planifolia** Grenier & Godron Fl. France, iii. 222 (1855).

I II *bicolor* Kunth,

III *Pubilaria bicolor* Raf.

442 **ENDYMION** Dumort.

**non-scriptum** Garcke Fl. Deutschl. 322 (1849).

I II *Scilla nutans* Sm.

III *nutans* Dumort.

443 **MUSCARI** Mill.

**racemosum** Miller Gard. Dict. ed. 8, n. 3 (1768).

444 **COLCHICUM** L.

**autumnale** L. Sp. Pl. 341 (1753).

445 **TOFIELDIA** Huds.

**palustris** Hudson Fl. Anglica, ed. 2, 175 (1778).

446 **NARTHECIUM** Huds.

**ossifragum** Hudson Fl. Anglica, 128 (1762).

## LXXXVI. JUNCACEÆ

447 **JUNCUS** L.

1 **maritimus** Lamarck Encycl. iii. 264 (1789).

2 **acutus** L. Sp. Pl. 325 (1753).

3 **effusus** L. Sp. Pl. 326 (1753).

I under *communis* Meyer.

4 **conglomeratus** L. Sp. Pl. 326 (1753).

I under *communis*.

II under *effusus*.

5 **inflexus** L. Sp. Pl. 326 (1753).

I II *glaucus* Ehrh.

6 **balticus** Willdenow in Berl. Mag. iii. 298 (1809).

7 **filiformis** L. Sp. Pl. 326 (1753).

8 **castaneus** Smith Fl. Brit. ii. 381 (1800).

9 **biglumis** L. Sp. Pl. 328 (1753).

10 **triglumis** L. Sp. Pl. 328 (1753).

I under *biglumis*.

11 **trifidus** L. Sp. Pl. 326 (1753).

12 **capitatus** Weigel Obs. Bot. 18 (1772).

13 **obtusiflorus** Ehrhart ex G. F. Hoffm. Deutschl. Fl. 1791, 125.

14 **articulatus** L. Sp. Pl. 327 (1753).

15 **acutiflorus** Ehrhart ex G. F. Hoffm. Deutschl. Fl. 1791, 125.

I II under *articulatus*.

16 **alpinus** Villars Hist. Pl. Dauph. ii. 233 (1787).

I II not included.

17 **nigritellus** D. Don in Engl. Bot. Supp. t. 2643 (1830).

I not included,

II under *articulatus*.

18 **bulbosus** L. Sp. Pl. 327 (1753).

I II under *articulatus* as *uliginosus* Mutel.

19 **squarrosus** L. Sp. Pl. 327 (1753).

20 **compressus** Jacquin Enum. Stirp. Vindob. 60 (1762).

21 **Gerardi** Loiseleur in Journ. de Bot. ii. 284 (1809).

I II under *compressus*.

22 **tenuis** Willdenow Sp. Pl. ii. 214 (1799).

23 **bufonius** L. Sp. Pl. 328 (1753).

24 **mutabilis** Lamarck Encycl. iii. 270 (1789).

I II III *fasciculatus* Richard.

448 **LUZULA** DC.

**sylvatica** Gaudin Agrost. Helvet. ii. 240 (1811).

II *maxima* DC.

III *sylvatica* γ *glaucescens* G. Kunze.

448 **LUZULA**—*continued.*

**pilosa** Willdenow Enum. Hort. Berol. 393 (1809).
III *J. pilosum* O. K.

**Forsteri** DC. Syn. Pl. Fl. Gall. 150 (1806).
I under *pilosa*,
III *J. Forsteri* O. K.

**campestris** DC. Fl. France, iii. 161 (1805).
III *J. campestre* O. K.

**multiflora** Lejeune Fl. Spa, i. 169 (1811).
I II under *campestris*,
III *J. multiflorum* Druce.

**spicata** DC. Fl. France, iii. 161 (1805).
III *J. spicatum* O. K.

**arcuata** Wahlenberg Fl. Suec. 218 (1824).
III *J. arcuatum* O. K.

## LXXXVII. ERIOCAULACEÆ

449 **ERIOCAULON** L.

**articulatum** Morong in Bull. Torr. Bot. Club, xviii. 353 (1891).
I II III *septangulare* With.

## LXXXVIII. CYPERACEÆ

450 **CYPERUS** L.

**longus** L. Sp. Pl. 45 (1753).

**fuscus** L. Sp. Pl. 46 (1753).

451 **SCHOENUS** L.

**nigricans** L. Sp. Pl. 43 (1753).

**ferrugineus** L. Sp. Pl. 43 (1753).
I not included.

452 **CLADIUM** P. Br.

**Mariscus** Brown Prodr. 236 (1810).
III *jamaicense* Crantz.

453 **RYNCHOSPORA** Vahl.

**alba** Vahl Enum. ii. 236 (1806).

**fusca** Aiton Hort. Kew. ed. 2, i. 127 (1810).

454 **ELEOCHARIS** Br.

**palustris** Roemer & Schultes Syst. ii. 151 (1817).
I *Scirpus palustris* L.

**uniglumis** Schultes Mant. ii. 88 (1824).
I *S. uniglumis* under *S. palustris*.
II under *palustris*.

**multicaulis** Smith Engl. Fl. i. 64 (1824).
I *S. multicaulis* Sm.

**acicularis** Roemer & Schultes Syst. ii. 154 (1817).
I *S. acicularis* L.

455 **SCIRPUS** L.

1. **maritimus** L. Sp. Pl. 51 (1753).
2 **sylvaticus** L. Sp. Pl. 51 (1753).
3 **triqueter** L. Mant. i. 29 (1767).
4 **carinatus** Smith Engl. Bot. t. 1983 (1809).
I II under *lacustris*.
5 **lacustris** L. Sp. Pl. 48 (1753).
6 **Tabernaemontani** Gmelin Fl. Bad. i. 101 (1805).
I II under *lacustris*.
7 **caespitosus** L. Sp. Pl. 48 (1753).
8 **pauciflorus** Lightfoot Fl. Scot. 1078 (1777).
9 **nanus** Sprengel Pugill. 4 (1813).
I II III *parvulus* R. & S.
10 **fluitans** L. Sp. Pl. 48 (1753).
11 **setaceus** L. Sp. Pl. 49 (1753).
12 **filiformis** Savi Fl. Pisan. i. 46 (1798).
I II *Savii* S. & M.
III *cernuus* Vahl.
13 **Holoschoenus** L. Sp. Pl. 49 (1753).

456 **BLYSMUS** Panz.

**compressus** Panzer ex Link Hort. Berol. i. 278 (1827).
II *Scirpus caricis* Retz.

**rufus** Link Hort. Berol. i. 278 (1827).
II *S. rufus* Wahlenb.

457 **ERIOPHORUM** L.

**vaginatum** L. Sp. Pl. 52 (1753).

**polystachion** L. Sp. Pl. 52 (1753).

**paniculatum** Druce in Ann. Scott. Nat. Hist. 1906, 227.
I II under *polystachion* as *latifolium*,
III *latifolium* Hoppe.

**gracile** Roth Catalecta, ii. [259], addend. (1800).
I under *polystachion*.

458 **KOBRESIA** Willd.

**bipartita** Dalla Torre Anleit. Alpenfl. 216 (1882).
I II III *caricina* Willd.

459 **CAREX** L.

1 **dioica** L. Sp. Pl. 972 (1753).
2 **pulicaris** L. Sp. Pl. 972 (1753).
3 **rupestris** Bellardi in All. Fl. Pedem. ii. 264 (1785).
4 **pauciflora** Lightfoot Fl. Scotica, 543 (1777).
5 **arenaria** L. Sp. Pl. 973 (1753).
6 **disticha** Hudson Fl. Anglica, 347 (1762).
I under *arenaria* as *intermedia*.
7 **incurva** Lightfoot Fl. Scotica, 544 (1777).
8 **chordorrhiza** Linn. fil. Suppl. 414 (1781).
I II not included.
9 **divisa** Hudson Fl. Anglica, 348 (1762).
10 **vulpina** L. Sp. Pl. 973 (1753).
11 **muricata** L. Sp. Pl. 974 (1753).
12 **divulsa** Stokes in With. Bot. Arr. ed. 2, 1035 (1787).
I II under *muricata*.
13 **paniculata** L. Cent. Pl. i. 32 (1755).
14 **diandra** Schrank Cent. Bot. Anmerk. 57 [49] 1781.
I under *paniculata*,
II III *teretiuscula* Good.
15 **paradoxa** Willdenow in Mém. Acad. Berlin, 1794-5, 39 (1799).
I II under *paniculata*.
16 **remota** L. Cent. Pl. i. 31 (1755).
17 **Boenninghausiana** Weihe in Flora, ix. 743 (1826).
I under *axillaris*,
II under *remota*.
18 **axillaris** Goodenough in Trans. Linn. Soc. ii. 151 (1794).
II under *remota*.
19 **echinata** Murray Prodr. Stirp. Gott. 76 (1770).
20 **elongata** L. Sp. Pl. 974 (1753).
21 **canescens** L. Sp. Pl. 974 (1753).
22 **vitilis** Fries Mant. iii. 137 (1842).
I II under *canescens* as *alpicola* Wahl.
23 **Lachenalii** Schkuhr Riedgr. i. 51 (1801).
I II III *hispidula* Wahl.
24 **leporina** L. Sp. Pl. 973 (1753).
25 **elata** Allioni Fl. Pedem. ii. 273 (1785).
I under *cæspitosa* L. as *stricta*,
II *stricta* Good.
26 **acuta** L. Sp. Pl. 978 (1753).
27 **rigida** Goodenough in Trans. Linn. Soc. ii. 193 (1794).
I under *cæspitosa*.
28 **aquatilis** Wahlenberg in Vet. Acad. Nya Handl. Stockh. xxiv. 165 (1803).
I under *cæspitosa*.
29 **salina** Wahlenberg in Vet. Acad. Nya Handl. Stockh. xxiv. 165 (1803).
I II not included.
30 **Goodenowii** Gay in Ann. Sci. Nat. sér. 2. xi. 191 (1839).
I under *cæspitosa*.
31 **trinervis** Degland in Loisel. Fl. Gall. 731 (1807).
I under *cæspitosa*.
32 **Halleri** Gunnerus Fl. Norveg. ii. 106 (1772).
I II III *alpina* Sw.
33 **fusca** Allioni Fl. Pedem. ii. 269 (1785).
I II *Hookeriana* Wahlenb.
34 **atrata** L. Sp. Pl. 976 (1753).
35 **pallescens** L. Sp. Pl. 977 (1753).
36 **panicea** L. Sp. Pl. 977 (1753).
37 **vaginata** Tausch in Flora, iv. 557 (1821).
I under *panicea*.
38 **limosa** L. Sp. Pl. 977 (1753).
39 **magellanica** Lamarck Encycl. iii. 385 (1789).
I II under *limosa* as *irrigua* Hoppe.
40 **pauciflora** Smith Engl. Bot. t. 2516 (1815).
I under *limosa*.
41 **capillaris** L. Sp. Pl. 977 (1753).
42 **strigosa** Hudson Fl. Anglica, ed. 2, 411 (1778).
43 **pendula** Hudson Fl. Anglica, 352 (1762).
44 **humilis** Leysser Fl. Hal. 175 (1761).

459 **CAREX**—*continued.*

45 **digitata** L. Sp. Pl. 975 (1753).

46 **ornithopoda** Willdenow Sp. Pl. iv. 255 (1805).
I under *digitata*.

47 **ericetorum** Pollich Hist. Pl. Palat. ii. 580 (1777).
I under *digitata*.

48 **caryophyllea** Latourrette Chlor. Lugd. 27 (1785).
I II *praecox* Jacq.,
III *verna* Chaix.

49 **montana** L. Sp. Pl. 975 (1753).

50 **pilulifera** L. Sp. Pl. 976 (1753).

51 **tomentosa** L. Mant. 123 (1767).

52 **flacca** Schreber Spic. Fl. Lips. App. no. 669 (1771).
I II *glauca* Murr.

53 **atrofusca** Schkuhr Riedgr. i. 106 (1801).
I under *atrata* as *ustulata*,
II *ustulata* Wahl.

54 **Sadleri** E. F. Linton in Journ. Bot. xxxvi. 43 (1898).
I under *panicea* as *frigida*,
II *frigida* All.

55 **flava** L. Sp. Pl. 975 (1753).

56 **Oederi** Retzius Fl. Scand. Prodr. 179 (1779).
I II under *flava*.

57 **extensa** Goodenough in Trans. Linn. Soc. ii. 175 (1794).

58 **punctata** Gaudin Agrost. Helvet. ii. 152 (1811).

59 **distans** L. Syst. ed. 10. 1263 (1759).

60 **binervis** Smith in Trans. Linn. Soc. v. 268 (1800).
I under *distans*.

61 **Hornschuchiana** Hoppe in Flora, vii. 595 (1821).
I II under *distans* as *fulva* Good.

62 **helodes** Link in Schrad. Journ. Bot. ii. 309 (1799).
I under *distans*,
II III *laevigata* Sm.

63 **depauperata** Curtis ex Withering Bot. Arr. ed. 2. 1049 (1787).
I under *distans*.

64 **sylvatica** Hudson Fl. Anglica, 353 (1762).

65 **Pseudocyperus** L. Sp. Pl. 978 (1753).

66 **filiformis** L. Sp. Pl. 976 (1753).

67 **hirta** L. Sp. Pl. 975 (1753).

68 **vesicaria** L. Sp. Pl. 979 (1753).

69 **pulla** Goodenough in Trans. Linn. Soc. iii. 78 (1797).
I II under *vesicaria* as *saxatilis* L.

70 **Grahami** Boott in Proc. Linn. Soc. i. 180 (1844).
I under *vesicaria* as *saxatilis*,
II under *vesicaria*.

71 **rostrata** Stokes in With. Arr. ed. 2, 1059 (1787).
I II *ampullacea* Good.

72 **acutiformis** Ehrhart Beitr. iv. 43 (1789).
I II under *paludosa* Good.

73 **riparia** Curtis Fl. Lond. fasc. iv. t. 281 (1783).
I under *paludosa*.

## LXXXIX. GRAMINEÆ

460 **DIGITARIA** Adans.

**linearis** Crépin Fl. Belg. ed. 2, 335 (1866).
I II *Panicum glabrum* Gaud.
III *humifusa* Pers.

461 *SETARIA* Beauv.

*viridis* Beauvois Agrost. Atlas 9 (1812).
I *Panicum viride* L.

462 **CYNODON** Rich.

**Dactylon** Persoon Syn. i. 85 (1805).
III *Capriola Dactylon* O. K.

463 **SPARTINA** Schreb.

**stricta** Roth Neue Beytr. 101 (1802).

**Townsendi** H. & J. Groves in Journ. Bot. xx. 1 (1882).
I II under *stricta*.

**alterniflora** Loiseleur Fl. Gall. 719 (1807).
I II under *stricta*.

464 **MIBORA** Adans.

**minima** Desvaux Obs. Pl. Angers, 45 (1818).
I II III *verna* Beauv.

465 **PHALARIS** L.

**arundinacea** L. Sp. Pl. 55 (1753).
I *Digraphis arundinacea* Trin.

466 **ANTHOXANTHUM** L.
**odoratum** L. Sp. Pl. 28 (1753).
*Puelii* Lecoq & Lamotte Cat. Pl. Vasc. 385 (1847).
I under *odoratum*.

467 **HIEROCHLOE** Gmel.
**odorata** Wahlenberg Fl. Upsal. 32 (1820).
I II III *borealis* R. & S.

468 **PHLEUM** L.
**phleoides** Simonkai Fl. Transsilv. 563 (1886).
I III *Boehmeri* Wibel,
II *phalaroides* Koel.
**arenarium** L. Sp. Pl. 60 (1753).
**pratense** L. Sp. 59 (1753).
**alpinum** L. Sp. Pl. 59 (1753).

469 **ALOPECURUS** L.
**pratensis** L. Sp. Pl. 60 (1753).
**alpinus** Smith Engl. Bot. t. 1126 (1803).
**geniculatus** L. Sp. Pl. 60 (1753).
**aequalis** Sobolewskj Fl. Petrop. 16 (1799).
I II under *geniculatus* as *fulvus*.
**bulbosus** Gouan Hort. Monspel. 37 (1762).
I II under *geniculatus*.
**myosuroides** Hudson Fl. Anglica, 23 (1762).
I II *agrestis* L.

470 **SESLERIA** Scop.
**coerulea** Arduino Animadv. II. 18 (1765).

471 **NARDUS** L.
**stricta** L. Sp. Pl. 53 (1753).

472 **LEERSIA** Soland.
**oryzoides** Swartz Prodr. 21 (1788).
III *Homalocenchrus oryzoides*.

473 **MILIUM** L.
**effusum** L. Sp. Pl. 61 (1753).

474 **PHRAGMITES** Adans.
**communis** Trin. Agrost. 134 (1820).
I *Arundo Phragmites* L.

475 **AMMOPHILA** Host.
**arenaria** Link Hort. Berol. I. 106 (1827).
I *Calamagrostis arenaria* Roth
II III *arundinacea* Host
**baltica** Link Hort. l.c.
I under *P. arenaria*.

476 **CALAMAGROSTIS** Adans.
**lanceolata** Roth Tent. Fl. Germ. 34 (1788).
**epigejos** Roth l.c.
**neglecta** Gaertner, Meyer & Scherbius Fl. Wetter. I. 98 (1799).
I *stricta* Nutt.
II *Deyeuxia neglecta* Kunth.
**strigosa** Hartman Handb. Skand. Fl. 46 (1820).
II not included.

477 **APERA** Adans.
**Spica-venti** Beauvois Agrost. 151 (1812).
I *Agrostis Spica venti* L.
**interrupta** Beauvois l.c.
I II under *Spica-venti*.

478 **AGROSTIS** L.
**setacea** Curtis Fl. Lond. fasc. vi. (1796 ?).
**canina** L. Sp. Pl. 62 (1753).
**alba** L. Sp. Pl. 63 (1753).
**nigra** Withering Arr. Brit. Pl. ed. 3. II. 131 (1796).
I under *alba*,
II under *vulgaris*.
**tenuis** Sibthorp Fl. Oxon. 36 (1794).
I under *alba* as *vulgaris*,
II III *vulgaris* With.

479 **POLYPOGON** Desf.
**monspeliensis** Desfontaines Fl. Atlant. I. 67 (1798).
**littoralis** Smith Engl. Fl. I. 86 (1824).

480 **GASTRIDIUM** Beauv.
**lendigerum** Gaudin Fl. Helv. I. 176 (1828).
III *australe* Beauv.

481 **HOLCUS** L.
**lanatus** L. Sp. Pl. 1048 (1753).
**mollis** L. Syst. ed. 10, 1305 (1759).

482 **WEINGAERTNERA** Bernh.

**canescens** Bernhardi Syst. Verz. Erf. i. 23, 51 (1800).
I *Aira canescens* L.,
II *Corynephorus canescens* Beauv.

483 **AIRA** L.

**caespitosa** L. Sp. Pl. 64 (1753).
II *Deschampsia caespitosa* Beauv.

**flexuosa** L. Sp. Pl. 65 (1753).
II *D. flexuosa* Trin.

**setacea** Hudson Fl. Anglica, 30 (1762).
I II under *flexuosa*.

**caryophyllea** L. Sp. Pl. 66 (1753).

**praecox** L. Sp. Pl. 65 (1753).

484 **TRISETUM** Pers.

**flavescens** Beauvois Agrost. Atlas 12 (1812).
I *Avena flavescens* L.
III *pratense* Pers.

485 **AVENA** L.

**fatua** L. Sp. Pl. 80 (1753).

**strigosa** Schreber Spic. Fl. Lips. 52 (1771).
I under *fatua*.

**pratensis** L. Sp. Pl. 80 (1753).

**pubescens** Hudson Fl. Anglica, 42 (1762).
I under *pratensis*.

486 **ARRHENATHERUM** Beauv.

**elatius** Mertens & Koch Deutschl. Fl. i. 546 (1823).
I II III *avenaceum* Beauv.

487 **SIEGLINGIA** Bernh.

**decumbens** Bernhardi Syst. Verz. Erf. i. 20, 44 (1800).
I II *Triodia decumbens* Beauv.

488 **KOELERIA** Pers.

**cristata** Persoon Syn. i. 97 (1805).

**vallesiana** Ascherson & Graebner Syn. Mitteleur. Fl. ii. 1. 354 (1900).
I II III not included.

489 **MELICA** L.

**nutans** L. Sp. Pl. 66 (1753).
I II *uniflora*.

**montana** Hudson Fl. Anglica, ed. 2, 37 (1778).
I II *nutans*.

490 **MOLINIA** Schrank.

**coerulea** Moench Method. 183 (1794).
III *varia* Schrank.

491 **POA** L.

1 **annua** L. Sp. Pl. 68 (1753).

2 **bulbosa** L. Sp. Pl. 70 (1753).

3 **alpina** L. Sp. Pl. 67 (1753).

4 **nemoralis** L. Sp. Pl. 69 (1753).

5 **glauca** Vahl Fl. Dan. t. 964 (1790).
I II under *nemoralis*.

6 **palustris** L. Syst. ed. 10. 874 (1759).
I II not included.

7 **trivialis** L. Sp. Pl. 67 (1753).

8 **Chaixii** Villars Fl. Delph. 7 (1785).
I not included,
II *sylvatica* Chaix.

9 **pratensis** L. Sp. Pl. 67 (1753).

10 **compressa** L. Sp. Pl. 69 (1753).

492 **GLYCERIA** Br.

**aquatica** Wahlberg Fl. Gothob. 18 (1820).
I *Poa aquatica* L.

**fluitans** Brown Prodr. 179 (1810).
I *Poa fluitans* L.

**plicata** Fries Nov. Mant. ii. 6 (1839).
I II under *fluitans*.

493 **SCLEROCHLOA** Beauv.

**maritima** Lindley ex Bab. Man. Brit. Bot. 370 (1843).
I *Poa maritima* Huds.
II *Glyceria maritima* Wahlb.

**festuciformis** *comb. nov.*
I II III not included.

**distans** Babington Man. Brit. Bot. 370 (1843).
I *P. distans* L.
II *G. distans* Wahlb.

**Borreri** Babington Man. Brit. Bot. 370 (1843).
I under *P. distans*,
II *G. Borreri* Bab.

**rupestris** *comb. nov.*
I II III *procumbens* Beauv.

**rigida** Link Hort. Berol. i. 150 (1827).
I *P. rigida* L.
II *Festuca rigida* Kunth.

493 **SCLEROCHLOA**—*continued.*

**loliacea** Woods Tourist's Fl. 411 (1850).

I *P. loliacea*,
II *F. loliacea*.

494 **BRIZA** L.

**minor** L. Sp. Pl. 70 (1753).

**media** L. Sp. Pl. 70 (1753).

495 **CATABROSA** Beauv.

**aquatica** Beauvois Agrost. 157 (1812).

496 **CYNOSURUS** L.

**cristatus** L. Sp. Pl. 72 (1753).

497 **DACTYLIS** L.

**glomerata** L. Sp. Pl. 71 (1753).

498 **FESTUCA** L.

1 **fasciculata** Forskål Fl. Ægypt. Arab. 22 (1775).

I II III *uniglumis* Sol.

2 **Myuros** L. Sp. Pl. 74 (1753).

3 **bromoides** L. Sp. Pl. 75 (1753).

I II under *Myuros*,
III *sciuroides* Roth.

4 **ambigua** Le Gall Fl. Morbihan, 731 (1852).

I II under *Myuros*.

5 **ovina** L. Sp. Pl. 73 (1753).

6 **rubra** L. Sp. Pl. 74 (1753).

I II under *ovina* L.

7 **oraria** Dumortier Obs. Gram. Belg. 105 (1823).

I not included,
II under *rubra*.

8 **sylvatica** Villars Hist. Pl. Dauph. i. 271 (1786).

9 **gigantea** Villars Hist. Pl. Dauph. ii. 110 (1787).

I *Bromus giganteus* L.

10 **elatior** L. Sp. Pl. 75 (1753).

III *arundinacea* Schreb.

11 **pratensis** Hudson Fl. Anglica, 37 (1762).

I under *elatior*.

499 **BROMUS** L.

**erectus** Hudson Fl. Angl. 39 (1762).

**ramosus** Hudson, l.c. p. 40

I II *asper* Murr.

**sterilis** L. Sp. Pl. 77 (1753).

**madritensis** L. Cent. Plant. i. 5 (1755).

500 **SERRAFALCUS** Parl.

**arvensis** Godron Fl. Lorr. ii. 185 (1844).

I II *Bromus arvensis* L.

**secalinus** Babington Man. Brit. Bot. 374 (1843).

I under *B. arvensis* L.
II *B. secalinus* L.

**racemosus** Parlatore Pl. Rar. Sic. ii. 14 (1840).

I under *B. arvensis*,
II *B. racemosus* L.

**commutatus** Babington Man. Brit. Bot. 374 (1843).

I II under *B. racemosus*.

**mollis** Parlatore Pl. Rar. Sic. ii. 16 (1840).

I under *B. arvensis*,
II *B. mollis* L.

501 **BRACHYPODIUM** Beauv.

**sylvaticum** Roemer & Schultes Syst. ii. 741 (1817).

**pinnatum** Beauvois Agrost. Atlas 12 (1812).

502 **TRITICUM** L.

**caninum** L. Sp. Pl. 86 (1753).

I II *Agropyrum caninum* Beauv.

**repens** L. Sp. Pl. 86 (1753).

I II *Agropyrum repens* Beauv.

**biflorum** Brignoli Fasc. Pl. Forojul. 18 (1810).

I not included,
II under *repens*,
III *alpinum* Don.

**pungens** Persoon Syn. i. 109 (1805).

I II under *repens*.

**acutum** DC. Cat. Hort. Monspel. 153 (1813).

I II under *repens*.

**junceum** L. Cent. Pl. i. 6 (1755).

I under *repens*.

503 **ELYMUS** L.

**arenarius** L. Sp. Pl. 83 (1753).

504 **HORDEUM** L.

**europaeum** Allioni Fl. Pedemont. ii. 260 (1785).

I II III *sylvaticum* Huds.

**nodosum** L. Sp. Pl. ed. 2, 126 (1762).

I II *pratense* Huds.

504 **HORDEUM**—*continued.*
**murinum** L. Sp. Pl. 85 (1753).
**marinum** Hudson Fl. Anglica, ed. 2. 57 (1778).
I II *maritimum* With.

505 **LEPTURUS** Br.
**filiformis** Trinius Fund. Agrost. 123 (1820).
I *incurvatus* Trin.

506 **LOLIUM** L.
**perenne** L. Sp. Pl. 83 (1753).
**temulentum** L. Sp. Pl. 83 (1753).

## XC. LYCOPODIACEÆ

507 **LYCOPODIUM** L.
**clavatum** L. Sp. Pl. 1101 (1753).
**annotinum** L. Sp. Pl. 1103 (1753.
**alpinum** L. Sp. Pl. 1104 (1753).
**inundatum** L. Sp. Pl. 1102 (1753).
**Selago** L. Sp. Pl. 1102 (1753).

## XCI. SELAGINELLACEÆ

508 **ISOËTES** L.
**lacustris** L. Sp. Pl. 1100 (1753).
**echinospora** Durieu in Bull. Soc. Bot. France, viii. 164 (1861).
I II under *lacustris*.

509 **SELAGINELLA** Spring.
**selaginoides** Link Fil. Hort. Berol. 158 (1841).
III *spinulosa* A. Br.

## XCII. MARSILEACEÆ

510 **PILULARIA** L.
**globulifera** L. Sp. Pl. 1100 (1753).

## XCIII. EQUISETACEÆ

511 **EQUISETUM** L.
**arvense** L. Sp. Pl. 1061 (1753).
**pratense** Ehrhart in Hannöv. Mag. ix. 138 (1784).
**maximum** Lamarck Fl. Franc. i. 7 (1778).
I *Telmateia* Ehrh.
**sylvaticum** L. Sp. Pl. 1061 (1753).
**limosum** L. Sp. Pl. 1062 (1753).
**palustre** L. Sp. Pl. 1061 (1753).
**hyemale** L. Sp. Pl. 1062 (1753).
**variegatum** Schleicher ex Weber & Mohr Bot. Taschenb. 1807, 60.
**trachyodon** A. Braun in Flora, xxii. 305 (1839).
II under *variegatum*.

## XCIV. OPHIOGLOSSACEÆ

512 **BOTRYCHIUM** Sw.
**Lunaria** Swartz in Schrad. Journ. Bot. 1800. ii. 110 (1801).

513 **OPHIOGLOSSUM** L.
**vulgatum** L. Sp. Pl. 1062 (1753).
**lusitanicum** L. Sp. Pl. 1063 (1753).
I II under *vulgatum*.

## XCV. OSMUNDACEÆ

514 **OSMUNDA** L.
**regalis** L. Sp. Pl. 1065 (1753).

## XCVI. POLYPODIACEÆ

515 **CRYPTOGRAMMA** Br.
**crispa** Brown ex Hook. Gen. Fil. t. 1156 (1842) 60.
I *Allosorus crispus* Bernh.

516 **POLYPODIUM** L.
**vulgare** L. Sp. Pl. 1085 (1753).
**Phegopteris** L. Sp. Pl. 1089 (1753).
**Dryopteris** L. Sp. Pl. 1093 (1753).
**Robertianum** G. F. Hoffmann Deutschl. Fl. ii. addend. ad p. 10 (1795).
I II under *Dryopteris*.
**molle** Allioni Fl. Pedem. ii. 287 (1785).
I II III *alpestre* Hoppe.
**flexile** T. Moore Handb. Brit. Ferns, ed. 2, 225 (1853).
I II, under *alpestre*.

517 **WOODSIA** Br.
**ilvensis** Brown in Trans. Linn. Soc. xi. 173 (1813).
**alpina** S. F. Gray Nat. Arr. ii. 17 (1821).
I under *ilvensis* as *hyperborea*, II III *hyperborea* Br.

**518 LASTREA** Presl.

**Thelypteris** Bory in Dict. Class. Hist. Nat. ix. 233 (1826).
I *Aspidium Thelypteris* Sw.
I *Nephrodium Thelypteris* Desf.

**montana** T. Moore Handb. Brit. Ferns, ed. 2, 100 (1853).
I *A. Oreopteris* Sw.
II *N. Oreopteris* Desv.
III *L. Oreopteris* Presl.

**Filix-mas** Presl Tent. Pterid. 76 (1836).
I *A. Filix-mas* Sw.
II *N. Filix-mas* Rich.

**rigida** Presl. l.c.p.
I *A. rigidum* Sw.
II *N. rigidum* Desv.

**cristata** Presl l.c.
I *A. cristatum* Sw.
II *N. cristatum* Rich.

**spinulosa** Presl l.c p. 76
I *A. spinulosum* Sw.
II *N. spinulosum* Desv.

**aristata** *comb. nov.*
I II under *spinulosum* as *dilatatum*,
III *dilatata* Presl.

**remota** T. Moore Ind. Fil. 102 (1858).
I under *A. spinulosum*,
II under *N. spinulosum*.

**aemula** Brackenridge in U.S. Expl. Exped. xvi. 200 (1854).
I under *A. spinulosum*,
II *N. aemulum* Baker.

**519 POLYSTICHUM** Roth.

**Lonchitis** Roth ex Bernhardi in Schrad. Journ. 1799. i. 306.
I II *Aspidium Lonchitis* Sw.

**aculeatum** H. Schott Gen. Fil. [not paged] (1834).
I II *A. aculeatum* Sw.

**angulare** Presl Tent. Pterid. 83 (1836).
I II under *aculeatum*.

**520 CYSTOPTERIS** Bernh.

**fragilis** Bernhardi in Schrad. Neues Journ. i. 2. 27 (1806).

**montana** Desvaux Prodr. 264 (1827).

**521 ATHYRIUM** Roth.

**Filix-foemina** Roth ex Mertens in Roem. Archiv Bot. ii. 106 (1799).
I II *Asplenium Filix-foemina*.

**522 ASPLENIUM** L.

**lanceolatum** Hudson Fl. Anglica ed. 2, 454 (1778).

**Adiantum-nigrum** L. Sp. Pl. 1081 (1753).

**Trichomanes** L. Sp. Pl. 1080 (1753).

**viride** Hudson Fl. Angl. 385 (1762).

**marinum** L. Sp. Pl. 1081 (1753).

**Ruta-muraria** L. Sp. Pl. 1081 (1753).

**germanicum** Weiss Fl. Crypt. Fl. Getting. 299 (1770).

**septentrionale** G. F. Hoffmann Deutschl. Fl. ii. 12 (1795).

**523 PHYLLITIS** Hill.

**Scolopendrium** Newman Hist. Brit. Ferns, ed. 2, 10 (1844).
I II *Scolopendrium vulgare* Sm.

**524 CETERACH** Willd.

**officinarum** DC. in Lam. & DC. Fl. Franc. ii. 566 (1805).
II *Asplenium Ceterach* L.

**525 BLECHNUM** L.

**spicant** Withering Arr. Brit. Pl. ed. 3. iii. 765 (1796).
II *Lomaria spicant* Desv.

**526 PTERIS** L.

**aquilina** L. Sp. Pl. 1075 (1753).

**527 ADIANTUM** L.

**Capillus-Veneris** L. Sp. Pl. 1096 (1753).

**528 TRICHOMANES** L.

**radicans** Swartz in Schrad. Journ. Bot. 1800, ii. 97 (1801).

**529 HYMENOPHYLLUM** Sm.

**tunbrigense** Smith Engl. Fl. i. 162 (1824).

**peltatum** Desvaux Prodr. 333 (1827).
I under *tunbrigense* as *unilaterale*, II undistinguished Willd.
III *Wilsoni* Hook.

## SEQUENCE OF ORDERS ACCORDING TO RECENT VIEWS OF AFFINITY, CORRELATED WITH THAT ADOPTED IN THE LIST.

SPERMATOPHYTES
(Seed-plants)

**Gymnosperms**

1 Coniferae (lxxiv)

**Angiosperms**

MONOCOTYLEDONS

2 Typhaceae (lxxv)
3 Sparganiaceae (lxxv)
4 Najadaceae (lxxviii)
5 Potamogetonaceae (lxxviii.)
6 Juncaginaceae (lxxviii)
7 Alismaceae (lxxix)
8 Hydrocharidaceae (lxxx)
9 Gramineae (lxxxix)
10 Cyperaceae (lxxxviii)
11 Araceae (lxvi)
12 Lemnaceae (lxvii)
13 Eriocaulaceae (lxxxvii)
14 Juncaceae (lxxxvi)
15 Liliaceae (lxxxv)
16 Amaryllidaceae (lxxxiii)
17 Dioscoreaceae (lxxxiv)
18 Iridaceae (lxxxii)
19 Orchidaceae (lxxxi)

DICOTYLEDONS

*Archichlamydeae (Apetalae and Polypetalae)*

20 Salicaceae (lxxiii)
21 Myricaceae (lxxiii)
22 Betulaceae (lxxiii)
23 Fagaceae (lxxiii)
24 Ulmaceae (lxxii)
25 Urticaceae (lxxi)
26 Loranthaceae (xxxvii)
27 Santalaceae (lxv)
28 Aristolochiaceae (lxvi)
29 Polygonaceae (lxii)
30 Chenopodiaceae (lxi)
31 Portulaceae (xiii)
32 Illecebraceae (lx)
33 Caryophyllaceae (xii)
34 Nymphaeaceae (iii)
35 Ceratophyllaceae (lxix)
36 Ranunculaceae (i)
37 Berberidaceae (ii)
38 Papaveraceae (iv)
39 Fumariaceae (v)
40 Cruciferae (vi)
41 Resedaceae (vii)
42 Droseraceae (xxxii)
43 Crassulaceae (xxix)
44 Saxifragaceae (xxxi)
45 Ribesiaceae (xxx)
46 Rosaceae (xxv)
47 Leguminosae (xxiv)
48 Geraniaceae (xviii)
49 Oxalidaceae (xviii)
50 Balsaminaceae (xviii)
51 Linaceae (xix)
52 Polygalaceae (x)
53 Euphorbiaceae (lxviii)
54 Callitrichaceae (lxx)
55 Buxaceae (lxviii)
56 Empetraceae (lxvii)
57 Aquifoliaceae (xxi)
58 Celastraceae (xxii)
59 Aceraceae (xx)
60 Rhamnaceae (xxxviii)
61 Tiliaceae (xvi)
62 Malvaceae (xv)
63 Hypericaceae (xvii)
64 Elatinaceae (xiv)
65 Frankeniaceae (xi)
66 Tamaricaceae (xiii*)
67 Cistaceae (viii)
68 Violaceae (ix)
69 Thymelaeaceae (lxiv)
70 Elaeagnaceae (lxiii)
71 Lythraceae (xxvi)
72 Onagraceae (xxvii)
73 Cucurbitaceae (xxviii)
74 Halorrhagaceae (xxxiii)
75 Araliaceae (xxxv)
76 Umbelliferae (xxxiv)
77 Cornaceae (xxxvi)

*Metachlamydeae or Sympetalae*

78 Pyrolaceae (xliv)
79 Ericaceae (xliv)
80 Primulaceae (xlv)
81 Plumbaginaceae (lviii)
82 Oleaceae (xlvii)
83 Gentianaceae (xlix)
84 Apocynaceae (xlviii)
85 Convolvulaceae (li)
86 Polemoniaceae (l)
87 Boraginaceae (lii)
88 Verbenaceae (lvii)
89 Labiatae (lvi)
90 Solanaceae (liii)
91 Scrophulariaceae (lv)
92 Orobanchaceae (liv)
93 Lentibulariaceae (xlvi)
94 Plantaginaceae (lix)
95 Rubiaceae (xxxix)
96 Caprifoliaceae (xxxviii)
97 Valerianaceae (xl)
98 Dipsaceae (xli)
99 Campanulaceae (xliii)
100 Compositae (xlii)

PTERIDOPHYTES
(Fern Plants)

101 Polypodiaceae (xcvi)
102 Osmundaceae (xcv)
103 Ophioglossaceae (xciv)
104 Marsileaceae (xcii)
105 Equisetaceae (xciii)
106 Lycopodiaceae (xc)
107 Selaginellaceae (xci)
108 Isoetaceae (xci)

# INDEX OF GENERA

*Names in italics indicate synonyms and introductions.*


Acer 8
Aceras 29
Achillea 16
Aconitum 2
Acorus 27
Actaea 2
Adiantum 39
Adonis 1
Adoxa 14
Aegopodium 13
Aethusa 13
Agrimonia 10
*Agropyrum* 37
Agrostis 35
Aira 36
Ajuga 23
Alchemilla 10
Alisma 28
Alliaria 3
Allium 31
*Allosorus* 38
Alnus 27
Alopecurus 35
Alsine 6
Althaea 7
*Alyssum* 3
Ammophila 35
*Anacharis* 28
Anagallis 19
*Anchusa* 20
Andromeda 18
Anemone 1
Angelica 13
Antennaria 16
Anthemis 16
Anthoxanthum 35
*Anthriscus* 14
Anthyllis 9
Antirrhinum 21
Apera 35
*Apinella* 13
Apium 13
Aquilegia 2
Arabis 3
Arbutus 18
Arctium 17
Arctostaphylos 18
Arenaria 6
*Armeria* 24
Armoracia 4
Arnoseris 17
Arrhenatherum 36
Artemisia 16
Arthrolobium 10
Arum 27
*Arundo* 35
Asarum 25
Asparagus 30
*Asperugo* 20
Asperula 14
*Aspidium* 39
Asplenium 39
Aster 15
Astragalus 9
Athyrium 39
Atriplex 24
Atropa 21
Avena 36
Azalea 18

Ballota 23
Barbarea 3
Bartsia 22
Bellis 15
Berberis 2
Beta 24
Betula 27
Bidens 16
Blackstonia 19
Blechnum 39
Blysmus 32
*Borago* 20
*Boretta* 18
Botrychium 38
Brachypodium 37
Brassica 3
Briza 37
Bromus 37
Bryanthus 18
Bryonia 12
Bupleurum 13
*Bursa* 4
Butomus 28
Buxus 25

Cakile 4
Calamagrostis 35
*Calamintha* 23
Callitriche 26
Calluna 18
Caltha 2
Campanula 18
*Capnoides* 2
*Capriola* 34
Capsella 4
Cardamine 3
Carduus 17
Carex 33
Carlina 17
Carpinus 27
Carum 13
Castalia 2
Catabrosa 37
Caucalis 14
Centaurea 17
Centaurion 20
*Centranthus* 15
Centunculus 19
Cephalanthera 29
Cerastium 6
Ceratophyllum 26
*Cervicina* 18
Ceterach 39
Chaerophyllum 14
*Cheiranthus* 3
Chelidonium 2
Chenopodium 24
Cherleria 6
*Chlora* 19
Chrysanthemum 16
Chrysosplenium 12
Cicendia 20
Cichorium 17
Cicuta 13
Circaea 12
Cladium 32
*Claytonia* 7
Clematis 1
Clinopodium 23
*Cnicus* 17
Cochlearia 4
Colchicum 31
Comarum 10
Conium 14
*Conopodium* 13
Convallaria 30
Convolvulus 20
Corallorrhiza 30
Cornus 14
Coronilla 10
Coronopus 4
Corrigiola 24
Corydalis 2
Corylus 27
*Corynephorus* 36
Cotoneaster 11
*Cotula* 16
Cotyledon 12
Crambe 4
Crataegus 11
Crepis 18
Crithmum 13
Crocus 30
Cryptogramma 38
Cuscuta 20
*Cyclamen* 19
Cynodon 34
Cynoglossum 20
Cynosurus 37
Cyperus 32
Cypripedium 30
Cystopteris 39
*Cytisus* 8

Daboecia 18
Dactylis 37
Damasonium 28
Daphne 25
Daucus 14
*Delphinium* 2
Dentaria 3
*Deschampsia* 36
*Deyeuxia* 35
Dianthus 5
Digitalis 21
Digitaria 34
*Digraphis* 34
Diotis 16
Diplotaxis 3
Dipsacus 15
Draba 3
Drosera 12
Dryas 11

Echium 20
Elatine 7
Eleocharis 32
*Elisma* 28
*Elodea* 28
Elymus 37
Empetrum 25
Endymion 31
Epilobium 11
Epipactis 29
Epipogum 30
Equisetum 38
*Eranthis* 2
Erica 18
Erigeron 15
*Erinus* 21
Eriocaulon 32
Eriophorum 32
Erodium 8
*Erophila* 3
Eryngium 13
Erysimum 3
*Erythrea* 20
*Eufragia* 22
Euonymus 8
Eupatorium 15

Euphorbia 25
Euphrasia 22

Fagus 27
Festuca 37
Filago 19
Fumitorium 13
Fragaria 19
Frankenia 5
Fraxinus 19
Fritillaria 30
Fumaria 2

Gagea 30
Galanthus 30
Galeopsis 23
*Galinsoga* 16
Gallium 14
Gastridium 35
Genista 8
Gentiana 20
Geranium 7
Geum 11
*Ginkgo* 5
Gladiolus 30
Glaucium 2
Glaux 19
Glyceria 36
Gnaphalium 16
Goodyera 29
Gymnadenia 29

Habenaria 29
Halocharis 13
Hedera 14
Helianthemum 4
Helleborus 2
Helminthia 17
Heracleum 14
Herminium 29
Herniaria 24
*Hesperis* 3
Hieracium 18
Hierochloe 35
Hippocrepis 10
Hippophae 25
Hippuris 12
Holcus 35
Holosteum 6
*Homalocenchrus* 35
Honkenya 6
Hordeum 37
Hottonia 19
Humulus 26
Hutchinsia 4
Hydrocharis 28
Hydrocotyle 13
Hymenophyllum 39
Hyoscyamus 21
Hypericum 7
Hypochaeris 17
*Hypopitys* 19

Iberis 4
Ilex 8
Illecebrum 24
Impatiens 8
Inula 15
Iris 30
Isatis 4
Isoetes 38

Jasione 18
*Juncoides* 31
Juncus 31
Juniperus 27

*Kentranthus* 15
Knautia 15
Kobresia 33
Koeleria 36

Lactuca 17
Lamium 23
Lapsana 17
Lathraea 22
Lastrea 39
Lathraea 21
Lathyrus 9
Lavatera 7
Leersia 35
Legousia 18
Lemna 27
Leontodon 17
Lepidium 4
Lepturus 38
*Lerchia* 24
Leucojum 30
*Ligusticum* 13
Ligustrum 19
*Lilium* 30
*Limnanthemum* 20
Limonium 23
Limosella 21
Linaria 21
Linnaea 14
Lineyris 15
Linum 8
Liparis 30
Listera 29
Lithospermum 20
Littorella 24
Lloydia 30
Lobelia 18
*Lonicera* 18
Lolium 38
*Lomaria* 39
Lonicera 14
Lotus 9
Ludwigia 12
*Lupinus* 8
Luzula 31
Lychnis 5
*Lysimachia* 21
Lycopodium 38
Lycopsis 20
Lycopus 22
Lysimachia 19
Lythrum 11

Maianthemum 30
*Malachium* 6
Malaxis 30
Malva 7
*Marrubium* 17
Matricaria 16
Matthiola 2
Meconopsis 2
Medicago 8
Melampyrum 22
Melica 36
Melilotus 9
*Melissa* 23
Melittis 23
Mentha 22
Menyanthes 20
*Mercurialis* 18
Mertensia 20
*Mespilus* 11
Mesem 13
Milium 35
Millegrana 8
*Mimulus* 22
Minuartia 6
Moenchia 6
Molinia 36
Moneses 19
Monotropa 19
Montia 7
Mulgedium 18
Muscari 31
Myosotis 20
Myosoton 6
Myosurus 1
Myrica 26
Myriophyllum 12
Myrrhis 14

Naias 28
Narcissus 30
Nardus 35
Narthecium 31
*Nasturtium* 3, 4
Neottinea 29
Neottia 29
Nepeta 23
*Nephrodium* 39
*Nuphar* 2
Nymphaea 2
Nymphoides 20

Oblone 24
Odontites 22
Oenanthe 13
*Omalotheca* 11
Onobrychis 10
Ononis 8
Onopordum 17
Ophioglossum 38
Ophrys 29
Orchis 29
Origanum 22
Ornithogalum 30
Ornithopus 10
Orobanche 21
Osmunda 38
Oxalis 8
Oxyria 25
Oxytropis 9

Paeonia 2
*Panicum* 34
Papaver 2
Parietaria 26
Paris 30
Parnassia 12
Pastinaca 14
Pedicularis 22
Pepis 11
*Peramium* 29
Petasites 15
Petroselinum 13
Peucedanum 14
Phalaris 34
Phleum 35
Phragmites 35
Phyllitis 39
*Phyllodoce* 18
Physospermum 14
Phytenma 18
Picris 17
Pilularia 38
Pimpinella 13
Plantago 19
Poa 27
Plantago 24
*Polemonia* 20
Poa 36
Polemonium 20
Polygonum 6
Polygala 5
Polygonatum 30
Polygonum 25
Polypodium 38
Polypogon 35
Polystichum 39
Populus 26
Potamogeton 27
Potentilla 10
Poterium 10
Primula 19
Prunella 23
Prunus 10
*Psamma* 35
Pteris 39
*Pulicaria* 31
Pulicaria 15
Pulmonaria 20
Pyrola 19
Pyrus 11

Quercus 27

Radicula 3
Ranunculus 1
Rephanus 4
Raseda 4
Rhamnus 8
Rhinanthus 22
Ribes 12
Romulea 30
Rosa 11
Rubia 15
Rubus 10
Rumex 25
Ruppia 28
Ruscus 30
Rynchospora 32

Sagina 5
Sagittaria 28
Salicornia 24
Salix 26
Salsola 24
Salvia 22
Sambucus 14
Samolus 19
Sanguisorba 10
Sanicula 13
*Saponaria* 5
Sarothamnus 8
Saussurea 16
Saxifraga 12
Scabiosa 15
Scandix 14
Scheuchzeria 28
Schoenus 32
Scilla 31
Scirpus 32
Scleranthus 7
Sclerochloa 36
*Scolopendrium* 39
Scrophularia 21
Scutellaria 23
Sedum 12
Selaginella 38
Selinum 14
*Senebiera* 4
Senecio 16
Serrafalcus 37
Serratula 17
Seseli 13
Sesleria 35
*Setaria* 34
Sherardia 14
Sibbaldia 10
Sibthorpia 22
Sieglingia 36
Silaus 13
Silene 5
Silybum 17
Simethis 31
Sinapis 3
Sison 13
Sisymbrium 3
Sisyrinchium 30
Sium 13
Smyrnium 14
Solanum 21
Solidago 15
Sonchus 18
Sparganium 27
Spartina 34
*Specularia* 18
Spergula 7
*Spergularia* 6
Spiraea 10
Spiranthes 29
Stachys 23
Statice 23, 24
Stellaria 6
Stratiotes 28
Suaeda 24
Subularia 4
Symphytum 20

Tamus 30
Tanacetum 16
Taraxacum 17
Taxus 27
Teesdalea 4
Teucrium 23
Thalictrum 1
Thesium 25
Thlaspi 4
Thrincia 17
Thymus 22
Tilia 7
Tillaea 12
Tofieldia 31
Torilis 14
Tragopogon 17
Trichomanes 39
Trientalis 19
Trifolium 9
Triglochin 28
Trigonella 9
Trinia 13
*Triodia* 36
Trisetum 36
Triticum 37
Trollius 2
Tulipa 30
Tussilago 15
Typha 27

Ulex 8
Ulmus 26
Urtica 26
Utricularia 19

Vaccinium 19
Valeriana 15
Valerianella 15
Verbascum 21
Verbena 23
Veronica 22
Viburnum 14
Vicia 9
Vinca 19
Viola 5
Viscum 14

Wahlenbergia 18
Weingaertnera 36
Wolffia 27
Woodsia 38

Zannichellia 28
Zostera 28

LONDON: PRINTED BY WILLIAM CLOWES AND SONS, LIMITED,
DUKE STREET, STAMFORD STREET, S.E., AND GREAT WINDMILL STREET, W.

# BRITISH MUSEUM
## (NATURAL HISTORY).

### DAYS AND HOURS OF ADMISSION.

The Exhibition Galleries are open to the Public, free, every week-day in

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| January, | from | 10 | A.M. | till | 4 | P.M. |
| February, | „ | „ | „ | „ | 4.30 | „ |
| March, | „ | „ | „ | „ | 5.30 | „ |
| April to August, | „ | „ | „ | „ | 6 | „ |
| September, | „ | „ | „ | „ | 5.30 | „ |
| October, | „ | „ | „ | „ | 5 | „ |
| November and December, | „ | „ | „ | „ | 4 | „ |

Also, from May 1st to the middle of July, on Mondays and Saturdays only, till 8 P.M.,

and from the middle of July to the end of August, on Mondays and Saturdays only, till 7 P.M.

The Galleries are also open on Sunday afternoons throughout the year.

The Museum is closed on Good Friday and Christmas-Day.

By Order of the Trustees,

E. RAY LANKESTER,

*Director.*

Jan. 9, 1933. Not access. Bot
Author British Museum (Nat. Hist.). Dept. of Botany Flora
B
Title List of British seed-plants and ferns, exhibited in the Dept. of Botany B.M.

University of Toronto Library

DO NOT REMOVE THE CARD FROM THIS POCKET

Acme Library Card Pocket
Under Pat. "Rel. Index. File"
Made by LIBRARY BUREAU